INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. I

PART 16

1948

Abstoma townei (Lloyd) Zeller in Mycologia, xxxix, p. 306, 1947. (Syn. Catastoma townei Lloyd). Acaulopage crobylospora Drechsler in Myco-

logia, xxxix, p. 275, 1947 on Leptomyxa.

Colorado, U.S.A. - ischnospora Drechsler in Mycologia, xxxix, p. 268, 1947 on Amoeba.—Wisconsin, U.S.A.

Acremonium ossicola (as 'ossicolum') Ciferri & Redaelli in Atti Ist. bot. Univ. Pavia, Ser. 5, iii, p. 12, 1943 on old bones of man [Homo sapiens].—Italy.

Acrospeira pseudarthriae Hansford in Proc. Linn. Soc. Lond., clix, p. 40, 1947 on Pseud-

arthria hookeri.—Belgian Congo.

*Actinomyces pelletieri [(Laveran) St. J.-Brooks] var. hodeidae Ambrosioni & Merucci in Riv. Parasitol., vi, p. 222, 1942 on man [Homo sapiens] in Arabia.

Aecidium anningense Tai in Farlowia, iii, p. 131, 1947 on Sophora viciifolia.—Yunnan,

China.

* araliae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 97, 1943 on Aralia decais-

neana.—Formosa. [In Japanese].

- berberidis-morrisonensis Sawada Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 97, 1943 on Berberis morrisonensis.—Formosa. [In Japanese].

- campylotropidis Tai in Farlowia, iii, p. 131, 1947 on Campylotropis polyantha.

-Yunnan, China.

crambes Moesz in Ann. hist.-nat. Mus. hung., Pars bot., xxiv, p. 149, 1941. (Correction of entry in Suppl. 14, p. 161).

— securinegae Sawada in Trans. nat. Hist.

Soc. Taiwan, xxxiii, p. 100, 1943 on Securinega virosa.—Formosa. [In Japanese]. - shansiense Petrak in Medd. Göteborgs bot.,

xvii, p. 117, 1947 on Sedum aizoon.—Shansi,

- smilacis-chinae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 98, 1943 on Smilax china.—Formosa. [In Japanese].

Aleuria nivalis (Heim & Remy) Heim in Rev. Mycologie, N.S., xii, p. 71, 1947. Galactinia nivalis Heim & Remy). (Syn.

Allophylaria sublicoides (Karst.) Nannfeldt in Fungi exs. Suecici, No. 989, 1941. (Syn.

Peziza sublicoides Karst.).

Alnicola clavuligera Romagnesi in Bull. Soc. mycol. Fr., Iviii, p. 148, 1942 on a fallen

branch.-France.

Alternaria godetiae (Neerg.) Neergaard in Aarsberetn. J. E. Ohlens Enkes plantepatol. Lab. 1 April 1944-31 Juli 1945, p. 14, 1945. (Syn. A. tenuissima var. godetiae, Suppl. 12, p. 131).

matthiolae Neergaard (Suppl. 12, p. 131) = A. raphani Groves & Skolko (Suppl. 10, p. 105), fide Neergaard in an Addition to his book (1945).

Amanita ponderosa Malencon & Heim apud

Malençon in Bull. Soc. mycol. Fr., lviii, p. 28, 1942.—Portugal. Amphididymella verrucosa Petrak in Medd.

Göteborgs bot., xvii, p. 129, 1947 on dead of Salsola gemmascens.—Kansu. China.

Anisomyces nectrioides (Rehm) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 38, 1947. (Syn. Auerswaldia nectrioides Rehm).

APIOTHYRIUM Petrak in Sydowia,

mycol., Ser. II, i, p. 1, 1947.—Sphaeriales.
- arcticum Petrak in Sydowia, Ann. mycol.,
Ser. II, i, p. 2, 1947 on dead Diapensia lapponica.—Finland.

Arcangeliella lactarioides Zeller in Mycologia, xxxix, p. 282, 1947.—California, U.S.A. Type in Zeller Herb.

Ascochyta oleracea Ellis var. tumida Bond in Ceylon J. Sci., Sect. A, xii, p. 176, 1947 on Brassica oleracea.—Ceylon.

vindobonensis Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 127, 1947 on Siler trilobum.—Austria.

Ascochytella astragalina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 140, 1947 on Astragalus onobrychis.—Austria.

Asterina caseariicola Hansford in Proc. Linn. Soc. Lond., clix, p. 36, 1947 on Casearia

engleri.-- Uganda.

macarangae Hansford in Proc. Linn. Soc. Lond., clix, p. 38, 1947 on Macaranga. Belgian Congo.

ramuligera (Syd.) Petrak in Medd. Göteborgs bot., xvii, p. 131, 1947. (Syn. Asterinella ramuligera Syd.).

Asterinella randiae Hansford in Proc. Linn. Soc. Lond., clix, p. 36, 1947 on Randia.-Belgian Congo.

Asterolibertia parinarii (Syd.) Hansford in Proc. Linn. Soc. Lond., clix, p. 36, 1947. (Syn. Asterina parinarii Syd.).

Asteromella inulae Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 134, 1947 on Inula hirta. -Austria.

-velata Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 132, 1947 on Acer platanoides with Rhytisma.—Austria.

*ASTEROTHYRITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 209, 1947.— Fossil Asterineae. Type not stated. *— delicatissimus Cookson in Proc. Linn.

Soc. N.S.W., lxxii, p. 210, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

— minutus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

*-ostiolatus Cookson in Proc. Linn. Soc.

N.S.W., lxxii, p. 210, 1947 on a leaf of Oleinites willisii.—Victoria, Australia.

- sinuatus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 209, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

Barlaeina henningsii Kirschst. in Notizbl. bot. Gart. Berl., xv, p. 830, 1943 on sand.-Germany.

Basidiobolus haptosporus Drechsler in Bull. Torrey bot. Cl., lxxiv, p. 411, 1947 in deciduous leaf-mould.—Wisconsin, U.S.A.

Botrytis anacardii Viégas in Bragantia, vi, p. 359, 1946 on Anacardium occidentale.-Brazil.

artocarpi Viégas in Bragantia, vi, p. 360, 1946 on Artocarpus integrifolia.—Brazil.

*Bovistella karsteni Nyberg in Memor. Soc. Fauna Flor. fenn., xx, p. 153, 1945.—Finland.

Calvatia fumosa Zeller in Mycologia, xxxix, p. 300, 1947.—Oregon, U.S.A.

lloydii Zeller & Coker apud Zeller in Mycologia, xxxix, p. 301, 1947.—California, U.S.A. Type in Univ. of Calif. Herb.

- ochrogleba Zeller in Mycologia, xxxix, p. 302, 1947.—Oregon, U.S.A.

- rubrotincta Zeller in Mycologia, xxxix,

p. 303, 1947.—Oregon, U.S.A.

subcretacea Zeller in Mycologia, xxxix,

p. 298, 1947.—Oregon, U.S.A. subpratensis (Lloyd) Coker & Zeller apud Zeller in Mycologia, xxxix, p. 305, 1947. (Syn. Lycoperdon subpratense Lloyd).

CAULOCARPA Gilkey in *Mycologia*, xxxix, p. 441, 1947.—Tuberales.

montana Gilkey in Mycologia, xxxix, p. 442, 1947.—Oregon, U.S.A. Type in Oregon State College.

Cercoseptoria smithii Petrak in Medd. Göteborgs bot., xvii, p. 161, 1947 on Lysimachia

omeiensis.—Szechuan, China.

Cercospora adinae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Seet. B, xxvi, p. 9, 1947 on Adina cordifolia.—India.

* mucunae-capitatae Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 372, 1942 on Mucuna capitata.—Formosa. [In Japanese].

musaecola Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 368, 1942 on Musa cavendishii.—Formosa. [In Japanese].

- osmanthi-asiatici Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 369, 1942 on Osmanthus asiaticus.—Formosa. [In Japanesel.

Cercosporella indigoferae Hansford in Proc. Linn. Soc. Lond., clix, p. 41, 1947 on Indigo-

fera.-- Uganda.

CHAETAPIOSPORA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 87, 1947.—Pyrenomycetes.

— islandica (Johans.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 87, 1947. (Syn. Venturia islandica Johanson).

Chaetothyrium dictyosporum Petrak in Medd. Göteborgs bot., xvii, p. 133, 1947 on Ficus foveolata.—Kwangsi, China.

Chytridium cocconeidis Canter in Trans. Brit. mycol. Soc., xxxi, p. 104, 1947 on Cocconeis pediculus.—England.

versatile Scherffel var. acaule Canter in Trans. Brit. mycol. Soc., xxxi, p. 102, 1947 on Nitzschia sigmoidea.—England.

Chytriomyces appendiculatus Karling in Bull. Torrey bot. Cl., lxxiv, p. 335, 1947 on a chitinous substrata in fresh water and muck soil.—Virginia, New Jersey, New York and Connecticut, U.S.A.

parasiticus Karling in Bull. Torrey bot. Cl., lxxiv, p. 334, 1947 on Aphanomyces laevis.— New York, U.S.A.

stellatus Karling in Bull. Torrey bot. Cl., lxxiv, p. 335, 1947 on chitinous substrata in fresh water and muck soil.—Brazil; New York and Connecticut, U.S.A.

Cintractia utriculicola (Henn.) Clint. var. limitata (Clint.) Hirschhorn in Farlowia, iii, p. 82, 1947. (Syn. Cintractia limitata

Clint.).

CIRCINOCONIS Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942.—Dematiaceae.

paradoxa Boedijn, 150th Anniv. Vol. R. bot. Gard. Calcutta, p. 209, 1942 on dead stems.—E. Indies.

Cistella chlorosticta (E. P. Fr. ex Cooke) Nannfeldt in Fungi exs. Suecici, No. 986, 1941. (Syn. Mollisia chlorosticta E. P. Fr. ex Cooke).

Cladobotryum australe Viégas in Bragantia, vi, p. 365, 1946 on Septoideum didymopana-

cis.—Brazil.

Cladochaete coronata Bond in Ceylon J. Sci., Sect. A, xii, p. 180, 1947 on Grevillea robusta.

-Ceylon.

Cladochytrium aneurae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 8, 1947 on Aneura.—India. Type in Herb. Crypt. Ind. Orient., New Delhi and I.M.I., Kew.

Cladosporium maracuja Viégas in Bragantia, vi, p. 367, 1947 on Passiflora.—Brazil. - solanicola (as 'solanicolum') Viégas in Bragantia, vi, p. 368, 1946 on Solanum lyco-

carpum.-Brazil.

versicolor Bond in Ceylon J. Sci., Sect. A, xii, p. 183, 1947 on Ageratum conyzoides .-Cevlon.

*Clavaria cretacea Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 44, 1947.—North Carolina,

- luteo-alba Rea f. montana Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 55, 1947.-North Carolina, U.S.A.

 pistillaris Linn. var. unicolor (Berk. & Rav.) Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 58, 1947. (Syn. Craterellus unicolor Berk. & Rav.).

purpurea Müll. var. australis Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 63, 1947.

-North Carolina, U.S.A.

*- raveneliana Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 44, 1947.-North Carolina, U.S.A

*— rufobrunnea Coker in J. Elisha Mitchell sci. Soc., lxiii, p. 43, 1947.—California, U.S.A. *— subfennica Coker in J. Elisha Mitchell sci.

Soc., lxiii, p. 45, 1947.—North Carolina,

CLAVICORONA Doty in Lloydia, x, p. 38, 1947.—Hymenomycetes. Type, C. taxophila. coronata (Schweinitz) Doty in Lloydia, x,

p. 42, 1947. (Syn. Clavaria coronata Schweinitz)

- cristata (Kauffman) Doty in Lloydia, x, p. 40, 1947. (Syn. Craterellus cristatus Kauffman)

pyxidata (Fries) Doty in Lloydia, x, p. 43, 1947. (Syn. Clavaria pyxidata Fries).

taxophila (Thom) Doty in Lloydia, x, p. 39, 1947. (Syn. Craterellus taxophilus Thom).

Clitocybe hydrogramma (Fr.) var. werneri Malençon in Bull. Soc. mycol. Fr., lviii, p. 36, 1942.—France.

- rufulo-alutacea Métrod in Bull. Soc. mycol. Fr., lxii, p. 46, 1946.—France.

salmona Métrod in Bull. Soc. mycol. Fr., lxii, p. 45, 1946.—France.

straminea Métrod in Bull. Soc. mycol.

Fr., lxii, p. 48, 1946.—France.

vibecina (Fries) var. floccipes Métrod in Bull. Soc. mycol. Fr., lxii, p. 47, 1946. France.

ypeocarpus lirella (Moug. & Nestl.) Kirschst. in *Hedwigia*, lxxxi, p. 213, 1944. [Syn. *Sphaeria lirella* Moug. & Nestl.]. Clypeocarpus

*Coelomomyces bisymmetricus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 73, 1947 on larvae of Anopheles crucians.—Georgia, U.S.A.

cribrosus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 74, 1947 on larvae of Anopheles punctipennis.—Georgia,

- keilini Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 74, 1947 on larvae of Anopheles crucians. - Georgia, U.S.A.

lativittatus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 72, 1947 on larvae of Anopheles crucians.—Georgia, U.S.A.

punctatus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 72, 1947 on larvae of Anopheles quadrimaculatus.—Georgia, U.S.A.

- quadrangulatus Couch var. irregularis Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 75, 1947 on larvae of Anopheles punctipennis.—Georgia, U.S.A.

— Couch var. lamborni Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 75, 1947 on larvae of Stegomyia scutellaris. -Federated Malay States.

sculptosporus Couch & H. R. Dodge in J. Elisha Mitchell sci. Soc., lxiii, p. 73, 1947 on larvae of Anopheles punctipennis and A. crucians.—Georgia, U.S.A.

Coleosporium pedicularidis Tai in Farlowia, iii, p. 100, 1947 on Pedicularis gracilis.-

Yunnan, China.

Coleroa graminis Guyot in Rev. Mycologie, N.S., xi, p. 58, 1946 on Brachypodium pinnatum.—France.

Colletotrichum anthurii (Allesch.) Neergaard in Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942–31 Marts 1943, p. 8, 1943. (Syn. Gloeosporium anthurii Allesch.).

ciliatum T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxv, p. 186, 1947

on Cymbopogon polyneuros.—India.

- godetiae Neergaard in Aarsberetn. J. E. Ohlsens Enkes plantepatol. Lab. 1 April 1942-31 Marts 1943, p. 8, 1943 on Godetia hybrida.—Denmark.

COLLOSTROMA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 104, 1947.—Sphaero-

psidales.

gelatinosum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 104, 1947 on Pinus sylvestris .- Austria.

Collybia tergina (Fr.) Lundell in Fungi exs. Suecici, No. 1109, 1942. (Syn. Agaricus terginus Fr.).

Coniothyrium asperulum Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 136, 1947 on Coronilla emeri.-Austria.

- pittospori J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 115, 1940 on Pittosporum sinense.—Greece.

Conocybe hexagonospora Métrod in Bull. Soc. mycol. Fr., lvi, p. 48, 1940.—France. *COOLIA Huysman in Meded. ned. mycol.

Ver., xxviii, p. 59, 1943.—Agaricaceae. Type, C. odorata.

macrocephala (Schulzer) Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (Syn. Agaricus macrocephalus Schulzer).

odorata (Cool) Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (Syn. Lepiota odorata Cool)

- schreieri Huysman in Meded. ned. mycol. Ver., xxviii, p. 60, 1943. (As nom. nov. based on 'Tricholoma X' of Schreier).

*Coprinus heterosetulosus Locquin in Bull. Soc. mycol. Fr., lxiii, p. 78, 1947.—France.

*— lagopus Fr. var. sphaerosporus Kühner & Josserand in Bull. Soc. mycol. Fr., lx, p. 31, 1944.—France.

patouillardii Quél. subsp. isabellinus Locquin in Bull. Soc. mycol. Fr., lxiii, p. 83,

1947.—France.

- pseudocortinatus Locquin in Bull. Soc.

mycol. Fr., lxiii, p. 81, 1947.—France.
— pseudo-radiatus Kühner & Josserand in Bull. Soc. mycol. Fr., lx, p. 26, 1944 on dung. -France.

*- vermiculifer Josserand in Bull. Soc. mycol. Fr., lx, p. 5, 1944 on dung.—France. *— verrucispermus Josserand in Bull. Soc. mycol. Fr., lx, p. 9, 1944.—France.

Coriolus hirsutus (Fr.) Quél. var. ochraceus (Fr. ex Pers.) Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 78, 1940. (Syn. 'C. zonatus var. ochraceus Fr. ex Pers.'

Corticium bombycinum (Sommerf. ex Fr.) Bres. var. pinicola Lundell nom. nov. in Fungi exs. Suecici, No. 1032, 1941. (Syn. C.

molle Karst., non Fr.).
- pulchrum Lundell in Fungi exs. Suecici, No. 1035, 1941 on rotten frondose trunk.—

Sweden.

Cortinarius albo-fimbriatus Henry in Bull. Soc. mycol. Fr., lvi, p. 95, 1940 as 'Cortinarius (Hydrocybe) albo-fimbriatus'.—France.

armillariellus Henry in Bull. Soc. mycol. Fr., lvi, p. 90, 1940 as 'Cortinarius (Hydro-

cybe) armillariellus'.—France.

cortinatus Henry in Bull. Soc. mycol. Fr., lvii, p. 24, 1941 as 'C. (Hydrotelamonia) cortinatus' .- France.

danili Henry in Bull. Soc. mycol. Fr., lix, p. 57, 1943 as 'C. (Hydrocybe) danili'.— France.

fuligineus Joachim in Bull. Soc. mycol. Fr.,

lx, p. 81, 1944.—France.

fulvaureus Henry in Bull. Soc. mycol. Fr., lx, p. 71, 1944 as 'Č. (Dermocybe) fulvaureus'. France.

fulvo-isabellinus Henry in Rev. Mycologie, N.S., lvii, p. 34, 1941 as 'Č. (Hydrotelamonia) fulvo-isabellinus'.—France.

fulvo-ochrascens Henry in Bull. Soc. mycol. Fr., lix, p. 55, 1943 as 'C. (Phlegmacium) fulvo-ochrascens'.—France.

hinnuloides Henry in Bull. Soc. mycol. Fr., lvii, p. 21, 1941 as 'C. (Telamonia) hinnuloides'.—France.

- kauffmanianus Henry in Bull. Soc. mycol. Fr., lxii, p. 213, 1947 as 'C. (Psiloderma) kauffmanianus'. (As nom. nov. based on 'C. argentatus Fr. var.' of Kauffman).

- luci Henry in Bull. Soc. mycol. Fr., lvi, p. 106, 1940 as 'C. (Hydrocybe) luci'.— France.

- parvulus Henry in Bull. Soc. mycol. Fr., lvii, p. 28, 1941 as 'C. (Telamonia) parvulus'. -France.

- rugosus Henry in Bull. Soc. mycol. Fr., lx,

p. 72, 1944 as 'C. (Dermocybe) rugosus' .-France.

- sordescens Henry in Bull. Soc. mycol. Fr., lx, p. 67, 1944 as 'C. (Inoloma) sordescens'.—

France.

- spilomeus Fries var. subspilomeus Henry in Bull. Soc. mycol. Fr., lx, p. 77, 1944 as 'C. (Dermocybe) spilomeus var. subspilomeus'. -France.

- striatulus Henry in Bull. Soc. mycol. Fr., lvi, p. 114, 1940 as 'C. (Hydrocybe) striatulus'.

-France.

- subanthracinus Henry in Bull. Soc. mycol. Fr., lx, p. 74, 1944 as ^{*}C. (Dermocybe) sub-anthracinus'.—France.

subbalaustinus Henry in Bull. Soc. mycol. Fr., lvi, p. 100, 1940 as 'C. (Hydrocybe) subbalaustinus'. (As nom. nov. based on C. balaustinus sensu Lange non Fr.).

- subincarnatus Henry in Bull. Soc. mycol. Fr., lvii, p. 27, 1941 as 'C. (Telamonia) subincarnatus'.—France.

- tricognandus Henry in Bull. Soc. mycol. Fr., lix, p. 58, 1943 as 'C. (Hydrocybe) tricognandus'.-France.

- uliginobtusus Henry in Bull. Soc. mycol.

Fr., lvi, p. 109, 1941.—France.

— velenovskyi Henry in Bull. Soc. mycol. Fr., lvi, p. 115, 1940 as 'C. (Hydrocybe) velenov-skyi'. (As nom. nov. based on C. obtusus sensu Velen., non Fr.).

versicolor Henry in Bull. Soc. mycol. Fr., lvii, p. 32, 1941 as 'C. (Hydrotelamonia) versi-

color'.-France.

Cotylidia vitellina (Plowr.) Lundell in Fungi exs. Suecici, No. 1021, 1947. (Syn. Thelephora vitellina Plowr.).

Cronartium keteleeriae Tai in Farlowia, iii, p. 96, 1947 on Keteleeria elveyniana.—Yun-

nan, China.

Cudoniella buissonii Grelet in Rev. Mycologie, N.S., xii, p. 30, 1947 on rotten pine stump.—France.

- viridula Grelet in Rev. Mycologie, N.S., xii, p. 31, 1947 on rotten pine stump.—France. Cylindrocladium candelabrum Viégas in

Bragantia, vi, p. 370, 1946 on Luma.—Brazil. Cylindrosporium arbuti Viennot-Bourgin in Rev. Mycologie, N.S., xii, p. 23, 1947 on Arbutus andrachne.—France.

umbelliferarum Wehmeyer nom. nov. in Mycologia, xxxix, p. 475, 1947. (Syn. Ascochyta heraclei Lib., non C. heraclei Oudem.).

CYMBOTHYRIUM Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 148, 1947.—Sphaeropsidales.

sudans Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 148, 1947 on Smilax aspera. Austria.

DACRYONAEMA Nannfeldt in Svensk bot. Tidskr., xli, p. 336, 1947.—Dacrymycetaceae.

- rufum (Fr.) Nannfeldt in Svensk bot. Tidskr., xli, p. 336, 1947. (Syn. Sphaero-naema rufum Fr.).

DEIGHTONIA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 114, 1947.—Melanconiales.

- rhombispora Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 114, 1947 on Leptoderris. -Sierra Leone.

DICTYOASTERINA Hansford in Proc. Linn. Soc. Lond., clix, p. 39, 1947.—Asterinaceae. - conopharyngiae Hansford in Proc. Linn. Soc. Lond., clix, p. 39, 1947 on Conopharyn-

gia.—Uganda.

Diderma luteo-album (List.) Buchet in Bull. Soc. mycol. Fr., lvi, p. 127, 1940. (Syn. Physarum luteo-album List.).

Didymella muhavurensis Hansford in Proc. Linn. Soc. Lond., clix, p. 28, 1947 on Hyperi-

cum lanceolatum.-Uganda.

syriaca Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 41, 1947 on Phlomis brevilabris. Syria.

Dimeriella terrieri Petrak apud Terrier in Ber. schweiz. bot. Ges., lvi, p. 167, 1947 on Abies alba.—Switzerland.

Dinemasporium leptosporum (Sacc.) Nannfeldt in Fungi exs. Suecici, No. 1094, 1941. (Syn. D. strigosum var. leptosporum Sacc.).

Diplodia calaminthae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 120, 1940 on Calamintha acinos .-Greece.

*- recifensis A. Chaves Batista, Mal do recife (grave doença da mangueira), p. 32, 1947

on Mangifera indica.—Brazil.

Diplodiella anatolica Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 117, 1947.—Turkey.

Diplodina arenicola Guyot in Bull. Soc. mycol. Fr., lxii, p. 71, 1946 on dry stems of Euphorbia paralias.—France.

pannonica Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 139, 1947 on Sesleria varia.-

Austria.

rhinanthi Guyot in Bull. Soc. mycol. Fr., lxii, p. 71, 1946 on dry stalks of Rhinanthus crista-galli.—France.

vincae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 120, 1940 on Vinca major.-Greece

Disciseda atra (as 'ater') (Lloyd) Zeller in Mycologia, xxxix, p. 307, 1947. (Syn. Catastoma ater Lloyd).

brandegeei (Lloyd) Zeller in Mycologia, xxxix, p. 307, 1947. (Syn. Catastoma brande-

geei Lloyd).

defodiodis (Lloyd) Zeller in Mycologia, xxxix, p. 309, 1947. (Syn. Calvatia defodiodis Lloyd).

- johnstonii (Lloyd) Zeller in Mycologia, xxxix, p. 309, 1947. (Syn. Catastoma johnstonii Lloyd).

-levispora (Lloyd) Zeller in Mycologia, xxxix, p. 310, 1947. (Syn. Catastoma levi-sporum Lloyd).

- luteola (Lloyd) Zeller in Mycologia, xxxix, p. 310, 1947. (Syn. Catastoma luteolum Lloyd).

- uplandii (Lloyd) Zeller in Mycologia, xxxix, p. 311, 1947. (Syn. Catastoma uplandii Lloyd).

Dothichiza caroliniana Demaree & Wilcox in Phytopathology, xxxvii, p. 492, 1947 on Vaccinium australe.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

Dothiorella araucariae (Vogl.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. Fusicoccum araucariae Vogl.).

sileris Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 138, 1947 on Siler trilobum. Austria.

Eccilia rugosa Malençon in Bull. Soc. mycol.

Fr., lviii, p. 40, 1942.—France.

Entopeltis ruwenzoriensis Hansford in Proc. Linn. Soc. Lond., clix, p. 33, 1947 on Ficus. -Belgian Congo.

Epicoccum sinense Petrak in Medd. Göteborgs bot., xvii, p. 162, 1947 on Astragalus sinicus.

-Szechuan, China.

ERIOSPOROPSIS Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 94, 1947.—Sphaero-

albida Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 94, 1947 on Pinus sylvestris .-

Austria.

Erysiphe alhagii Bremer, Ismen, Karel, & H. and M. Özkan in Rev. Fac. Sci. Univ. Istanbul, Sér. B, xii, p. 140, 1947 on Alhagi camelorum.—Turkey.

communis (Wallr.) Link f. fibigiae Rayss in Bull. Soc. mycol. Fr., lxii, p. 11, 1946 on

Fibigia clypeata.—Syria.

Euryachora syzygii (Rac.) Hansford in Proc. Linn. Soc. Lond., clix, p. 27, 1947. (Syn. Lizonia syzygii Rac.).

*EUTHYRITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947.—Fossil

Asterineae.

- oleinitus Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947 on leaves of Oleinites willisii.—Victoria, Australia.

Eutypa lata (Pers.) Tul. f. platani Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 38, 1940 on Platanus orientalis.

-Greece.

Exosporina fawcetti E. E. Wilson in Hilgardia, xvii, p. 427, 1947 on Juglans regia, Castanea sativa, Citrus limonia, C. grandis, and C. sinensis.—California, U.S.A. Type in Mycol. Coll., Univ. Calif.

Exosporium sultanae du Plessis in Ann. Univ. Stellenbosch, Ser. A, p. 19, 1946 on

Vitis vinifera.—S. Africa.

Galerina clavus Romagnesi in Bull. Soc. mycol. Fr., lviii, p. 149, 1942.—France.

pinetorum Métrod in Bull. Soc. mycol. Fr.,

lvi, p. 52, 1940.—France.

Gaubaea bornmulleri (P. Magn.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 67, 1947. (Syn. Leptothyrium bornmuelleri P. Magn.).

Gelopellis hahashimensis (S. Ito & S. Imai) Zeller in Mycologia, xxxix, p. 284, 1947. (Syn. Hysterangium hahashimense S. Ito & S. Imai).

Gerwasia rosae Tai in Farlowia, iii, p. 103, 1947 on Rosa cymosa.—Hunan, China

Ginanniella clintoniae (Komarow) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 77, 1940. (Syn. Tuburcinia clintoniae Komarow).

- paridis (Unger) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 77, 1940. (Syn. Protomyces

paridis Unger).

schizocaulon (Cesati) Ulbrich in Notizbl. bot. Gart. Berl., xv, p. 78, 1940. (Syn. Sorosporium schizocaulon Cesati).

Glenospora viridobrunnea Redaelli & Ciferri in Atti Ist. bot. Univ. Pavia, Ser. 5, iii, p. 25, 1943 on man [Homo sapiens].—Italy.

*GLENOSPOROPSIS Da Fonseca, Parasitologia médica, I, p. 710, 1943.—Moniliales.

Type, G. amazonica.

- amazonica Da Fonseca, Parasitologia médica, I, p. 711, 1943 on man [Homo sapiens].—Brazil.

- brevis (Castell.) Da Fonseca, Parasitologia médica, I, p. 724, 1943. (Syn. Glenospora brevis Castell.).

clapieri ('Cast.' [Catanei]) Da Fonseca, Parasitologia médica, I, p. 724, 1943. (Syn.

Glenospora clapieri Cat.).
gammeli (Pollacci & Nannizzi) Da Fonseca, Parasitologia médica, I, p. 725, 1943. (Syn. Glenospora gammeli Poll. & Nann.).

gandavensis (Vuill.) Da Fonseca, Parasitologia médica, I, p. 727, 1943. (Syn. Glenospora gandavensis Vuill.).

graphii (Harz & Bezold) Da Fonseca, Parasitologia médica, I, p. 727, 1943. (Syn. Verticillium graphii Harz & Bezold).

khartoumensis (Chalmers & Archibald) Da Fonseca, Parasitologia médica, I, p. 728, 1943. (Syn. Glenospora khartoumensis Chalm. & Arch.).

lanuginosa (Castell.) Da Fonseca, Parasitologia médica, I, p. 729, 1943. (Syn. Blasto-

mycoides lanuginosa Castell.).

metaeuropea (Castell.) Da Fonseca, Parasitologia médica, I, p. 730, 1943. (Syn. Glenospora metaeuropea Castell.).

- metamerica (Castell.) Da Fonseca, Para-sitologia médica, I, p. 730, 1943. (Syn. Gleno-spora metamerica Castell.).

semoni (Chalmers & Archibald) Da Fonseca, Parasitologica médica, I, p. 730, 1943. (Syn. Glenospora semoni Chalm. & Arch.). Gloeocercospora inconspicua Demaree &

Wilcox in *Phytopathology*, xxxvii, p. 498, 1947 on *Vaccinium australe*.—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

GLOEOTROCHILA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 50, 1947.—Sphaero-

psidales.

paradoxa (de Not.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 50, 1947. (Syn. Myxosporium paradoxum de Not.).

Gonapodya bohemica Cejp in Bull. Soc. mycol. Fr., lxii, p. 255, 1947 on various plants

in forest pools.—Bohemia.

Guignardia euphorbiae Rayss in Bull. Soc. mycol. Fr., lxii, p. 20, 1946 on Euphorbia erinacea.—Syria.

Gymnosporangium hyalinum Kern [nomen nudum, 1911] in Mycologia, xxxix, p. 123, 1947 on Chamaecyparis thyoides.—Florida and S. Carolina, U.S.A.

- sikangense Petrak in Medd. Göteborgs bot., xvii, p. 120, 1947 on Cotoneaster adpressa. Sikang, China.

-tsingchenense Wei in Bot. Bull. Acad. Sinica, i, p. 210, 1947 on Cupressus funebris. -Szechuan, China.

wenshanense Tai in Farlowia, iii, p. 108, 1947 on Photinia serrulata.—Yunnan, China.

*Hebeloma edurum Métrod in Rev. Mycologie, N.S., xi, p. 80, 1946.—France.

Helicostilbe cantareirense Viégas in Bragantia, vi, p. 378, 1946 on dead branches.-Brazil.

Helminthosporium cacaliae Viégas in Bragantia, vi, p. 378, 1946 on Cacalia sonchifolia.—Brazil.

coronatum Viégas in Bragantia, vi, p. 379, 1946 on Hydrangea.—Brazil.

? lonicerae Viégas in Bragantia, vi, p. 380, 1946 on Lonicera.—Brazil.

machaerii Viégas in Bragantia, vi, p. 381, 1946 on Machaerium.—Brazil.

— olyrae Viégas in Bragantia, vi, p. 381, 1946

on Olyra micrantha.—Brazil.

Helvella leucomelas (Pers. ex Cooke) Nannfeldt in Fungi exs. Suecici, No. 952, 1941. (Syn. Peziza leucomelas Pers. ex Cooke). HEMISPHAEROPSIS Petrak in Sydowia,

Ann. mycol., Ser. II, i, p. 24, 1947.—

Sphaeropsidales.

magnoliae Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 25, 1947 on Magnolia glauca.— 'Aus Herb. F. S. Earle'.

Hendersonia arundinis (Lib.) Sacc. var. maritima Guyot in Rev. Mycologie, N.S., xi, p. 55, 1946 in dry culms of Juneus maritimus .- France.

kwangsiensis Petrak in Medd. Göteborgs bot., xvii, p. 146, 1947 on Andropogon.— Kwangsi, China.

Heteropatella polychaeta Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 126, 1940 on Bupleurum sibthorpianum. Greece.

Heterosporium tropaeoli Bond in Ceylon J. Sci., Sect. A, xii, p. 185, 1947 on Tropaeolum major.—Ceylon.

*Himantia corticalis Viégas in Bragantia, vi, p. 559, 1946 on Dioscorea alata.—Brazil.

Holocotylon anomalum Zeller in Mycologia, xxxix, p. 287, 1947.—Texas, U.S.A. Type in Zeller Herb.

Humarina deformis (Karst.) Nannfeldt in Fungi exs. Suecici, No. 1362, 1946. (Syn. Peziza deformis Karst.).

granulata (Bull. ex Fr.) Nannfeldt in Fungi exs. Suecici, No. 1363, 1946. (Syn. Peziza granulata Bull. ex Fr.).

Hydnotrya dysodes Kirschtein in Notizbl. bot. Gart. Berl., xv, p. 612, 1941.—Germany.

- variiformis Gilkey in Mycologia, xxxix, p. 444, 1947.—California, U.S.A. Type in Oregon State College.

- yukonensis Gilkey in Mycologia, xxxix, p. 445, 1947.—Yukon. Type in Oregon State

College. Hydnotryopsis michaelis (Fisch.) Soehner in Notizbl. bot. Gart. Berl., xv, p. 864, 1944. [Syn. Geopora michaelis Fisch.].

- suevica Soehner in Notizbl. bot. Gart. Berl.,

xv, p. 866, 1944.—Germany.

Hygrophorus acutoconicus (Clements) A. H. Smith, North American species of Mycena, 472, 1947. (Syn. Mycena acutoconica Clements).

Hysterangium stoloniferum Tulasne var. brevisporum Zeller in *Mycologia*, xxxix, p. 288, 1947.—Oregon, U.S.A.

Hysteropezizella karstenii (Sacc.) Nannfeldt in Fungi exs. Suecici, No. 962a, 1941. (Syn. Pyrenopeziza karstenii Sacc.).

Hysterostomella gymnosporiae Hansford in Proc. Linn. Soc. Lond., clix, p. 34, 1947 on Gymnosporia lepidota.—Belgian Congo.

Irene arisanensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 216, 1941 on Cyclobalanopsis ternaticupula f. arisanensis. -Formosa

- castanopsisifoliae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 217, 1941 on Synaedrys amygdalifolia f. castanopsisifolia.—Formosa.

cyclobalanopsicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 219, 1941 on Cyclobalanopsis ternaticupula.—Formosa.

- konishii Yamamoto in Trans. nat. Hist.

Soc. Formosa, xxxi, p. 217, 1941 on Synaedrys konishii.--Formosa.

lithocarpicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 218, 1914 on Synaedrys amygdalifolia.—Formosa.

sinsuiensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 219, 1941 on Synae-

drys shinsuiensis.—Formosa.

Irenina eucleae Hansford in Proc. Linn. Soc. Lond., clix, p. 24, 1947 on Euclea latidens.-Belgian Congo.

hydrangeae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 220, 1941 on Hy-

drangea chinensis.—Formosa.

lonicerae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 221, 1941 on Lonicera japonica.-Formosa.

pithecolobii Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 221, 1941 on Pithe-

colobium lucidum.—Formosa.

securidacae Hansford in Proc. Linn. Soc. Lond., clix, p. 23, 1947 on Securidaca .-Belgian Congo.

Irenopsis hiptages Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 222, 1941 on Hiptage bengalensis.—Formosa.

Karschia adnata Kanouse apud Wehmeyer in Mycologia, xxxix, p. 465, 1947 on weathered coniferous wood.-Wyoming, U.S.A. Type in Univ. of Mich.

Laboulbenia colasi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 190, 1942 on Dromius linearis.-France.

Lachnum sphaerocephalum (Wallr.) Nannfeldt in Fungi exs. Suecici, No. 984a, 1941. (Syn. Peziza sphaerocephala Wallr.).

Lembosia peyronelii E. Castellani in Nuovo G. bot. ital., liii, p. 216, 1947 on Syzygium guineense f. angustifolium.—Abyssinia.

*Lepiota excoriata (Schaeff. ex Fr.) Quél. var. konradi Huysman var. nov. in Meded. ned. mycol. Ver., xxviii, p. 18, 1943. (As nom. nov. based on *L. excoriata* subsp. *mastoidea* sensu Konrad & Maubl., non Fr.).

- kuehneri Huysman in Meded. ned. mycol. Ver., xxviii, p. 27, 1943. (As nom. nov. based on L. clypeolarioides sensu Kühner, non Rea).

- meleagroides Huysman in Meded. ned. mycol. Ver., xxviii, p. 11, 1943. (As nom. nov. based on L. badhami sensu Pat., non Berk. & Br.).

- setulosa Lange var. rhodorrhiza Romagnesi & Locquin apud Locquin in Bull. Soc. mycol. Fr., lx, p. 38, 1944.—France.

Leptoporus ellipsosporus (Pilát) Romagnesi in Bull. Soc. mycol. Fr., lx, p. 88, 1944. (Syn. L. wynnei Berk. & Br. f. ellipsospora Pilát).

Leptosphaeria clavata Guyot in Rev. Mycologie, N.S., xi, p. 62, 1946 on dry stems and leaves of Koeleria albescens and K. gracilis.— France.

genistae Oud. var. microspora Guyot in Rev. Mycologie, N.S., xi, p. 68, 1946 on dry stems of Genista tinctoria.—France.

grignonnensis Guyot in Rev. Mycologie, N.S., xi, p. 66, 1946 on dry stems of Clematis

vitalba .- France.

- porellae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 11, 1947 on Porella .-

sequana Guyot in Rev. Mycologie, N.S., xi, p. 68, 1946 of dry sheaths of Phleum boehmeri.—France.

Leucogaster columellatus Zeller in Mycologia, xxxix, p. 289, 1947.—California, U.S.A. Type in Herb. Univ. Calif.

- longisterigmatus Zeller in Myexxxix, p. 289, 1947.—Oregon, U.S.A. Mycologia,

Limacinia hendrickxii Hansford in Linn. Soc. Lond., clix, p. 32, 1947 on Teclea. Belgian Congo.

LINDEROMYCES Singer in Farlowia, iii,

p. 157, 1947.—Paxillaceae.

- lateritius (Petch) Singer in Farlowia, iii, p. 157, 1947. (Syn. Paxillus lateritius Petch).

Linochora acaciae E. Castellani in Nuovo G. bot. ital., liii, p. 226, 1947 on Acacia orfota.-Eritrea.

Linotexis deightonii Hansford in Proc. Linn. Soc. Lond., clix, p. 22, 1947 on Salacia sene-

galensis.—Sierra Leone.

Lophodermium schweinitzii Wilson & Robertson nom. nov. in Trans. roy. Soc. Edinb., lxi, p. 527, 1947. (Syn. Hysterium rhododendri Schweinitz, non L. rhododendri Ces. ex Sacc.)

-vagulum Wilson & Robertson in Trans. roy. Soc. Edinb., lxi, p. 524, 1947 on Rhodo-

dendron croceum.—Scotland.

Macowanites alpinus Zeller in Mycologia, xxxix, p. 291, 1947.—California, U.S.A.

Macrophoma crataegi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 112, 1940 on Crataegus oxyacantha.—Greece.

- eryngii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 111, 1940

on Eryngium multifidum.-Greece.

stachydis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 111, 1940 on Stachys cretica.—Greece.

Marasmius albocapitatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead

leaves .- Ceylon.

- alliarius Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead wood and sticks.-Ceylon.

- amomi Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead stems of Amomum.

-Ceylon.

- ascendens Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on bark of living trees. —Cevlon.

- brunneostriatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead leaves and twigs.—Ceylon.

- calami Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead stem of Calamus.-

Ceylon.

-cineraceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on a dead leaf.—

griseo-violaceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves. -Ceylon.

- hakgalensis Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves and

twigs on the ground.-Ceylon.

Petch var. denudatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947.—Ceylon. - lateritius Petch in Trans. Brit. mycol. Soc.,

xxxi, p. 41, 1947.—Ceylon.
- micraster Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on decaying twigs.—Ceylon.

- paspali Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on leaf sheaths of Paspalum dilatatum.—Ceylon.

- porphyreticus Petch in Trans. Brit. mucol. Soc., xxxi, p. 43, 1947 on dead sticks.-Ceylon.

purpureo-albus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on decaying banana stem; on bark scales on living Lagerstroemia; on fallen twigs of Lagerstroemia.-Ceylon.

- purpureo-griseus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead wood.

- rigidichorda Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947.—Ceylon. [See also Suppl. 11, p. 121].

rufo-aurantiacus Petch in Trans. Brit. mycol. Soc., xxxi, p. 43, 1947 on dead twigs

and bark.-Ceylon.

rufo-ochraceus Petch in Trans. Brit. mycol. Soc., xxxi, p. 40, 1947 on dead wood. -Ceylon.

senescens Petch in Trans. Brit. mycol. Soc.,

xxxi, p. 41, 1947.—Ceylon.

stypinoides Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead bark.-Ceylon.

subconiatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 41, 1947 on dead bamboo.-

Ceylon.

tubulatus Petch in Trans. Brit. mycol. Soc., xxxi, p. 42, 1947 on dead leaves and twigs.— Ceylon.

Marssonina melonis Dolan in Phytopathology, xxxvii, p. 587, 1947 on Cucumis melo var. reticulatus and Citrullus vulgaris.—New York State, U.S.A.

Melampsora salicis-cavaleriei Tai in Farlowia, iii, p. 102, 1947 on Salix cavaleriei.—Yunnan, China.

Melanops araucariae (Vogl.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 64, 1947. (Syn. Cryptosporella araucariae Vogl.).

Melanospora brevirostrata Moreau in Bull. Soc. mycol. Fr., lxi, p. 59, 1945 on Diospyros lotus.-France. [Correction of entry Suppl. 15, p. 188].

Meliola acanthopanacis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 224, 1941 on Acanthopanax trifoliatum.—Formosa.

agauriae Hansford in Proc. Linn. Soc. Lond., clix, p. 23, 1947 on Agauria salicifolia.
—Belgian Congo.

araliicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 224, 1941 on Aralia decaisneana.—Formosa.

- bauhiniicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 225, 1941 on Bauhinia championi.—Formosa.

callicarpicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 226, 1941 on Callicarpa formosana.—Formosa.

caseariicola Hansford in Proc. Linn. Soc. Lond., clix, p. 24, 1947 on Casearia engleri.— Uganda.

castanopsina Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 125, 1941 on Castanopsis formosana.—Formosa.

cyclobalanopsina Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 130, 1941 on Cyclobalanopsis glauca.—Formosa.

euchrestae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 226, 1941 on Euchresta horsfieldii var. formosana.—Formosa.

flacourtiacearum Hansford in Proc. Linn. Soc. Lond., elix, p. 24, 1947 on Scolopia rhamniphylla.—Belgian Congo.

- fusispora Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 126, 1941 on Castanopsis stipitata.--Formosa.

- hendrickxiana Hansford in Proc. Linn. Soc. Lond., clix, p. 25, 1947 on Leguminosae (? Vigna).—Belgian Congo.

- hypoëstes E. Castellani in Nuovo G. bot. ital., liii, p. 214, 1947 as 'M. (Irenopsis) hypoëstes' on Hypoëstes paniculata.—Abyssinia.

- impatientis Doidge var. densa Hansford in Proc. Linn. Soc. Lond., elix, p. 25, 1947

on Impatiens.—Belgian Congo.

irvingiae Hansford in Proc. Linn. Soc. Lond., clix, p. 25, 1947 on Irvingia wombolu.
—Belgian Congo.

- kawakamii Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 131, 1941 on Synaedrys kawakamii.—Formosa. - kiraiensis Yamamoto in Trans. nat. Hist.

Soc. Formosa, xxxi, p. 132, 1941 on Synae-

drys lepidocarpa.—Formosa.

- kodaihoensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 133, 1941 on Synaedrys kodaihoensis.—Formosa.

- lithocarpina Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 133, 1941 on

Synaedrys brevicaudata.—Formosa.

- mephitidiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 227, 1941 on Mephitidia chinensis.—Formosa.

- myricicola Hansford in Proc. Linn. Soc. Lond., clix, p. 26, 1947 on Myrica.—Belgian

Congo.

- peddiicola Hansford in Proc. Linn. Soc. Lond., clix, p. 26, 1947 on Peddiaea fischeri. Uganda.

- pileostegiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 228, 1941 on Pileostegia viburnoides.—Formosa.

- ramulicola Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 134, 1941 on Synaedrys brevicaudata.—Formosa.

shiiae Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 126, 1941 on Castanopsis

stipitata.—Formosa.

styracis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 228, 1941 on Styrax suberifolius.—Formosa.

subacuminata Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 127, 1941 on Castanopsis subacuminata.—Formosa.

- subpellucida Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 136, 1941 on Synaedrys amygdalifolia f. castanopsidifolia. -Formosa.

taityuensis Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 131, 1941 on Cyclo-

balanopsis glauca.—Formosa.

- taiwaniana Yamamoto in Trans. nat. Hist. Soc. Formosa, xxxi, p. 128, 1941 on Castanopsis taiwaniana.—Formosa.

- yangambiensis Hansford in Proc. Linn. Soc. Lond., clix, p. 27, 1947 on Fagara laurentii.—Belgian Congo.

Microdiplodia granulosa Guyot in Bull. Soc. mycol. Fr., lxii, p. 74, 1946 on Sesleria coerulea .- France.

- sambuci J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 117, 1940

on Sambucus nigra.—Greece.

*MICROTHYRIACITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 210, 1947.-Fossil Microthyriaceae. Type not stated.

* fimbriatus Cookson in Proc. Linn. Soc.

N.S.W., lxxii, p. 211 in ligneous clay.-Victoria, Australia.

* grandis Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 211, 1947 in coal.—New Zealand.

Milesia arisanensis (Hiratsuka f.) Faull in J. Arnold Arbor., xxviii, p. 311, 1947. (Syn. Milesina arisanense Hiratsuka f.).

coniogrammes (Hiratsuka f.) Faull in J. Arnold Arbor., xxviii, p. 310, 1947. (Syn. Milesina coniogrammes Hiratsuka f.).

- cryptogrammes (Diet.) Faull in J. Arnold Arbor., xxviii, p. 311, 1947. (Syn. Milesina cryptogrammes (Diet.) Hiratsuka f.).

hashiokai (Hiratsuka f.) Faull in J. Arnold

Arbor., xxviii, p. 311, 1947. (Syn. Milesina

hashiokai Hiratsuka f.).

philippinensis (Syd.) Faull in J. Arnold Arbor., xxviii, p. 311, 1947. (Syn. [Milesina philippinensis Syd. and] Milesia tenuis Faull).

Monacrosporium ambrosium Gadd & Loos in Trans. Brit. mycol. Soc., xxxi, p. 17, 1947 in galleries of Xyleborus fornicatus.—Ceylon.

Mycena albicolor A. H. Smith, North American species of Mycena, p. 82, 1947 on Thuja plicata.—Oregon, U.S.A. Type in Herb. Univ. Mich.

albidula (Peck) A. H. Smith, North American species of Mycena, p. 93, 1947. (Syn.

Omphalia albidula Peck)

- albissima A. H. Smith, North American species of Mycena, p. 84, 1947 on mossy redwood log.—California, U.S.A. Type in Herb. Univ. Mich.

alnicola A. H. Smith var. odora A. H. Smith, North American species of Mycena, p. 331, 1947 on dead alder tree.—Washington State, U.S.A.

- arenaria A. H. Smith, North American species of Mycena, p. 376, 1947.-Michigan,

U.S.A. Type in Herb. Univ. Mich.

atkinsoniana A. H. Smith nom. nov., North American species of Mycena, p. 144, 1947. (Syn. M. fagicola A. H. Smith, non Grog.).

- bisphaerigera (Lange) A. H. Smith, North American species of Mycena, p. 449, 1947.

(Syn. Omphalia bisphaerigera Lange).

- brownii A. H. Smith, North American species of Mycena, p. 363, 1947 on decaying stems of Rubus.—Washington State, U.S.A. Type in Herb. Univ. Mich.

cayugaensis A. H. Smith, North American species of Mycena, p. 135, 1947.—New York State, U.S.A. Type in Atk. Herb., Cornell

Univ.

cheboyganensis A. H. Smith, North American species of Mycena, p. 221, 1947 on sphagnum.—Michigan, U.S.A. Type in Herb. Univ. Mich.

cineraria A. H. Smith, North American species of Mycena, p. 450, 1947 on wet soil.-Washington State, U.S.A. Type in Herb. Univ. Mich.

cylindrospora A. H. Smith, North American species of Mycena, p. 101, 1947 on old rhododendron leaves.—Tennessee, U.S.A. Type in Herb. Univ. Mich.

delicatella (Peck) A. H. Smith, North American species of Mycena, p. 161, 1947. (Syn. Agaricus (Collybia) delicatellus Peck).

epipterygia (Fr.) S. F. Gray var. lignicola A. H. Smith, North American species of Mycena, p. 428, 1947 on conifer wood.

Washington State, U.S.A. Type in Herb.

Univ. Mich.

filiformis A. H. Smith, North American species of Mycena, p. 83, 1947 on fallen beech leaves.—Michigan, U.S.A. Type in Herb. Univ. Mich.

flavoalba (Fr.) Quélet var. microspora A. H. Smith, North American species of Mycena, p. 168, 1947.—Washington State, U.S.A.

fuliginella A. H. Smith, North American species of Mycena, p. 372, 1947 on logs and stumps of Douglas fir.—Washington State, U.S.A. Type in Herb. Univ. Mich.

- gaultheri A. H. Smith, North American species of Mycena, p. 51, 1947 on dead leaves of Gaultheria shallon.—Washington State, U.S.A. Type in Herb. Univ. Mich.

griseoviridis A. H. Smith, North American species of Mycena, p. 418, 1947.-Michigan,

U.S.A. Type in Herb. Univ. Mich.

— A. H. Smith var. cascadensis A. H.

Smith, North American species of Mycena, p. 420, 1947 on conifer logs.—Washington State, U.S.A. Type in Herb. Univ. Mich.

hymenocephala (A. H. Smith) A. H. Smith. North American species of Mycena, p. 385, 1947. (Syn. Collybia hymenocephala A. H.

Smith).

- incarnatifolia A. H. Smith, North American species of Mycena, p. 318, 1947 on a black-cherry log.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- invisibilis Josserand in Bull. Soc. mycol. Fr., lix, p. 16, 1943 on dry fronds of Platycerium alcicorne and on Sphagnum.-France.

- kalalochensis A. H. Smith, North American species of Mycena, p. 99, 1947 on debris of red alder and thimbleberry.—Washington

State, U.S.A. Type in Herb. Univ. Mich.
- kauffmaniana A. H. Smith, North American species of Mycena, p. 260, 1947 on wood.
- Washington State, U.S.A. Type in Herb.

Univ. Mich.

- kuehneriana A. H. Smith, North American species of Mycena, p. 190, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- Iilacifolia (Peck) A. H. Smith, North American species of Mycena, p. 414, 1947. (Syn. Agaricus lilacifolius Peck).

- litoralis A. H. Smith, North American species of Mycena, p. 98, 1947 on fern debris.
—Oregon, U.S.A. Type in Herb. Univ. Mich.

- majalis Lundell nom. nov. in Fungi exs. Suecici, No. 401, 1941. (Syn. M. vernalis

H. v. Post ex Lundell, non Vel.).

marginella (Fr.) Quélet var. rugosodisca (Peck) A. H. Smith, North American species of Mycena, p. 395, 1947. (Syn. Agaricus (Omphalia) rugosodiscus Peck)

mcmurphyi (Murr.) A. H. Smith, North American species of Mycena, p. 93, 1947. (Syn. Omphalopsis mcmurphyi Murr.).

- misera (Fr.) A. H. Smith, North American species of Mycena, p. 369, 1947. (Syn. Aga-

ricus (Collybia) miser Fr.).

olida Bres. var. americana A. H. Smith, North American species of Mycena, p. 153, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

- pallida (Murr.) A. H. Smith, North American species of Mycena, p. 361, 1947. (Syn.

Omphalopsis pallida Murr.).
- papillata (Peck) A. H. Smith, North
American species of Mycena, p. 96, 1947. (Syn. Omphalia papillata Peck).

- paucilamellata A. H. Smith, North American species of Mycena, p. 97, 1947 on fallen twigs of Sequoia sempervirens.—California, U.S.A. Type in Herb. Univ. Mich.

plumbea (Fr.) Sacc. var. robusta A. H. Smith, North American species of Mycena, p. 249, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.

pseudoclavicularis A. H. Smith, North American species of Mycena, p. 374, 1947.— Oregon, U.S.A. Type in Herb. Univ. Mich.

pseudogrisea (Murr.) A. H. Smith, North American species of Mycena, p. 378, 1947. (Syn. Omphalopsis pseudogrisea Murr.).

- pseudogrisella A. H. Smith, North American species of Mycena, p. 124, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

pseudoinclinata A. H. Smith, North American species of Mycena, p. 327, 1947.— Tennessee, U.S.A. Type in Herb. Univ. Mich. and Herb. Univ. Tenn. pusillissima (Peck) A. H. Smith, North

American species of Mycena, p. 100, 1947. (Syn. Omphalia pusillissima Peck).

- rickenii A. H. Smith, North American species of Mycena, p. 158, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

rubrotincta A. H. Smith nom. nov., North American species of Mycena, p. 334, 1947. (Syn. M. tenuicula Murrill, non Karst.). semivestipes (Peck) A. H. Smith, North

American species of Mycena, p. 324, 1947. (Syn. Omphalia semivestipes Peck).

serotina (Peck) A. H. Smith, North American species of Mycena, p. 375, 1947. (Syn. Omphalia serotina Peck).

- setulosa A. H. Smith, North American species of Mycena, p. 80, 1947 on bark of Liriodendron tulipifera.—Tennessee, U.S.A. Type in Herb. Univ. Mich.

subcana A. H. Smith, North American species of Mycena, p. 73, 1947 on dead coniferous trees.—California, U.S.A. Type in Herb. Univ. Mich.

subconcolor A. H. Smith, North American species of Mycena, p. 365, 1947.—California, U.S.A. Type in Herb. Univ. Mich.

- subfusca A. H. Smith, North American species of Mycena, p. 261, 1947 on débris in wet places.—Washington State, U.S.A. Type in Herb. Univ. Mich.

subimmaculata (Murr.) A. H. Smith, North American species of Mycena, p. 92, (Syn. Omphalopsis subimmaculata 1947.

Murr.).

subvestita A. H. Smith nom. nov., North American species of Mycena, p. 95, 1947. (Syn. Omphalia vestita Peck, non M. vestita Velen.).

swartzii (Fr.) A. H. Smith, North American species of Mycena, p. 123, 1947. (Syn. Aga-

ricus fibula var. swartzii Fries).

- tenuiceps A. H. Smith, North American species of Mycena, p. 305, 1947 on beech logs.

— Tennessee, U.S.A. Type in Herb. Univ. Mich.

thujina A. H. Smith, North American species of Mycena, p. 361, 1947 on logs of Thuja occidentalis.—Ontario, Canada. Type in Herb. Univ. Mich.

translucentipes (Murr.) A. H. Smith, North American species of Mycena, p. 156, (Syn. Omphalopsis translucentipes 1947. Murr.).

turbinata (Murr.) A. H. Smith, North

American species of Mycena, p. 379, 1947. (Syn. Omphalopsis turbinata Murr.).

- umbrina A. H. Smith, North American species of Mycena, p. 398, 1947.—Michigan, U.S.A. Type in Herb. Univ. Mich.

— viscosa (Sec.) Maire var. iodiolens A. H. Smith, North American species of Mycena, p. 423, 1947.—Oregon, U.S.A. Type in Herb. Univ. Mich.

Mycenella kuehneri Romagnesi in Bull. Soc.

mycol. Fr., lvi, p. 63, 1940.—France.

MYCOKLUYVERIA Ciferri & Redaelli in

Mycopathologia, iv, p. 56, 1947. [Proposed
for Mycoderma Pers., which is considered a
nomen confusum].

— cerevisiae (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Myco-

derma cerevisiae Desm.).

— decolorans (Will) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma decolorans Will).

— glutinis-farinulae (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma glutinis-farinulae Desm.).

— lafari (Janke) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma lafari Janke).

— tannica (Asai) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma tannica Asai).

— valida (Leb.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma valida Leberle).

— vini (Desm.) Ciferri & Redaelli in Mycopathologia, iv, p. 58, 1947. (Syn. Mycoderma vini Desm.).

Mycosphaerella clematidina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 144, 1947 on Clematis recta.—Austria.

— dictamni Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 145, 1947 on Dictamnus albus.—

Austria.

— hambergii (Romell & Sacc.) Petrak in Medd. Götebergs bot., xvii, p. 137, 1947. (Syn. Sphaerella confinis Karst. subsp. hambergii Romell & Sacc.).

*— myricae Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 7, 1943 on Myrica rubra.

—Formosa. [In Japanese].

— taeniographoides Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 142, 1947 on Siler trilobum.—Austria.

— thironi Guyot in Bull. Soc. mycol. Fr., lxii, p. 83, 1946 on Vicia sativa.—France.

Mycotorula chalmersi (Castellani) Redaelli & Ciferri in *Mycopathologia*, iv, p. 38, 1947. [Syn. *Endomyces chalmersi* Castellani].

 krausi (Ota) Redaelli & Ciferri in Mycopathologia, iv, p. 38, 1947. (Syn. Cryptococcus krausi Ota).

— messanensis Redaelli & Ciferri in Mycopathologia, iv, p. 40, 1947 on man [Homo sapiens].—Italy.

pseudotropicalis (Castellani) Redaelli & Ciferri in Mycopathologia, iv, p. 37, 1947.
 (Syn. Endomyces pseudotropicalis Cast.).

NANNFELDTIA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 18, 1947.—Discomycetes.

— atra Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 18, 1947 on Carex firma.—Austria.

Naucoria centunculus Fr. f. luxurians Romagnesi in *Bull. Soc. mycol. Fr.*, lviii, p. 149, 1942 on a fallen branch.—France.

—— Fr. var. obscura Romagnesi in Bull. Soc.

mycol. Fr., Iviii, p. 149, 1942 on a fallen trunk.—France.

— siparia Fr. f. umbonata Romagnesi in Bull. Soc. mycol. Fr., lviii, p. 149, 1942.— France.

NEOBROOMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 5, 1947.—Sphaeriales.

ciliata Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 5, 1947 on Phlomis brevilabris.— Syria.

Neovossia macrospora Petrak in Medd. Göteborgs bot., xvii, p. 114, 1947 on Pennisetum japonicum.—Kiangsu, China.

*NOTOTHYRITES Cookson in *Proc. Linn.*Soc. N.S.W., lxxii, p. 208, 1947.—Fossil
Microthyriaceae. Type not stated.

*— airensis Cookson in *Proc. Linn. Soc.* N.S.W., lxxii, p. 209, 1947 in Sentinel Rock

beds, Victoria, Australia.

*— setiferus Cookson in *Proc. Linn. Soc.*N.S.W., lxxii, p. 209, 1947 from the Vegetable Creek matrix.—Kerguelen Island and Kiandra, New South Wales, Australia.

OCELLARIELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 98, 1947.—Discomycetes.

— buxi (Capron) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 99, 1947. (Syn. Trochila buxi Capron).

Oidium phlomidis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 132, 1940 on Phlomis fruticosa.—Greece.

Oligonema schweinitzii (Berk.) G. W. Martin in *Mycologia*, xxxix, p. 460, 1947. (Syn. *Physarum schweinitzii* Berk.).

*Omphalia cyathella Favre & Schweers in Bull. Soc. mycol. Fr., lviii, p. 105, 1942.—France.

Ophiobolus sambuci J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 49, 1940 on Sambucus nigra.—Greece.

— smyrnii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Smyrnium rotundifolium.—Greece.

OPHIOSPORELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 21, 1947.—Sphaeropsidales.

— komarowii (Jacz.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 22, 1947. (Syn. Cylindrosporium komarowii Jacz.).

*Panus ramosus Métrod in Rev. Mycologie, N.S., xi, p. 80, 1946.—France.

*Paranthostomella decaspermi Sawada in Trans. nat. Hist. Soc. Formosa, xxxii, p. 370, 1942 on Decaspermum fruticosum.—Formosa. [In Japanese].

Parasterina oleae-chrysophyllae E. Castellani in Nuovo G. bot. ital., liii, p. 218, 1947 on

Olea chrysophylla.—Abyssinia.

Passalora eragrostidis Viegas in Bragantia, vi, p. 386, 1946 on Eragrostis ciliaris.— Brazil.

Peniophora alienata Lundell in Fungi exs. Suecici, No. 1043, 1941 on decaying Alnus glutinosa.—Sweden.

— laurentii Lundell nom. nov. in Fungi exs. Suecici, No. 1342, p. 23, 1946. (Syn. Merulius lepidus Romell, non P. lepida Bres.).

*Pestalozzia eriobotryae-japonicae Sawada in *Trans. nat. Hist. Soc. Taiwan*, xxxiii, p. 9, 1943 on *Eriobotrya japonica*.—Formosa. [In Japanese].

— insueta Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 7, 1947 on Phlomis brevilabris.—

Syria.

Pezicula morthieri (Fuckel) Groves in Mycologia, xxxix, p. 329, 1947. (Syn. Cenangium morthieri Fuckel).

Peziza limosa (Grelet) Nannfeldt in Fungi exs. Suecici, No. 373, 1941. (Syn. Galactinia castanea (Quél.) Boud. var. limosa Grelet).

- plebeia (Le Gal) Nannfeldt in Fungi exs. Suecici, No. 1373, 1946. (Syn. Galactinia

plebeia Le Gal).

Phacidium infestans Karst. var. hikmetae Bremer, Işmen, Karel, & H. and M. Özkan in Rev. Fac. Sci. Univ. Istanbul, Sér. B, xii, p. 164, 1947 on Pinus silvestris.—Turkey.

Phaeochorella zonata Petrak in Sydowia,

Ann. mycol., Ser. II, i, p. 122, 1947 on Leguminosae.—Philippine Islands.

Phaeodimeriella negrii E. Castellani in Nuovo G. bot. ital., iiii, p. 215, 1947 on Randia dumetorum.—Eritrea.

Phaeodothis hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 29, 1947 on Senecio

mariettae.-Belgian Congo.

rapaneae Hansford in Proc. Linn. Soc. Lond., clix, p. 30, 1947 on Rapanea.—Belgian Congo.

Phaeophleospora elaeocarpi Bond in Ceylon J. Sci., Sect. A, xii, p. 185, 1947 on Elaeocarpus ?amoenus.—Cevlon.

PHAEOTHYRIUM Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 12, 1947.—Sphaeropsidales.

pulchellum Petrak in Sydowia,

mycol., Ser. II, i, p. 12, 1947 on Aegiceras corniculatum.-Hainan, China. Phakopsora hengshanensis Tai in Farlowia,

iii, p. 98, 1947 on Ficus martini?—Hunan, China.

Phanerococcus rapaneae Hansford in Proc. Linn. Soc. Lond., elix, p. 28, 1947 on Rapanea .- Belgian Congo.

Phleospora hageniae E. Castellani in Nuovo G. bot. ital., liii, p. 227, 1947 on Hagenia

abyssinica.—Abyssinia.

Phlyctidium apophysatum Canter in Trans. Brit. mycol. Soc., xxxi, p. 95, 1947 on Mou-

geotia.—England.

Phoma amygdali-communis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Amygdalus communis.—Greece.

campanulae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Campanula sibthorpiana.—Greece. - cyparissiae Guyot in Bull. Soc. mycol. Fr.,

lxii, p. 75, 1946 on Euphorbia cyparissias.-France.

inulae-viscosae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Inula viscosa.—Greece.

onopordi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Onopordon illyricum.—Greece.

- peponis J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940

on Cucurbita pepo.—Greece.

- pini-nigrae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109,

1940 on Pinus nigra.—Greece.

pruni-domesticae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 107, 1940 on Prunus domestica.—Greece.

sanguisorbae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Poterium sanguisorba.-Greece.

- scolymi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 109, 1940 on Scolymus hispanicus.—Greece.

- smyrnii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Smyrnium rotundifolium.—Greece.

- spartii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Spartium junceum.—Greece.

subtruncata Guyot in Bull. Soc. mycol. Fr., lxii, p. 76, 1946 on Koeleria gracilis.—France.

verbasci-thapsi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 108, 1940 on Verbascum thapsus.— Greece.

PHOMACHORELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 125, 1947.—

Sphaeropsidales.

parinarii Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 126, 1947 on Parinarium capense. -South Africa.

Phragmidium handelii Petrak in Medd. Göteborgs bot., xvii, p. 121, 1947 on Rosa glomerata.—North-west Yunnan, China.

sikangense Petrak in Medd. Göteborgs bot., xvii, p. 123, 1947 on Rubus pungens.—Si-kang, China.

PHRAGMODISCUS Hansford in Proc. Linn. Soc. Lond., clix, p. 31, 1947.—Xylariaceae.

arundinariae Hansford in Proc. Linn. Soc. Lend., clix, p. 31, 1947 on Arundinaria alpina.--Uganda.

Phyllachora cymbispora T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxv, p. 184, 1947 on Eurya japonica.-India.

- eragrostidis Petrak in Medd. Göteborgs bot., xvii, p. 139, 1947 on Eragrostis ferruginea. Kwangtung, China. [Cfr. P. eragrostidis Doidge, 1942, Suppl. 6, p. 70].

fici-variolosae Petrak in Medd. Göteborgs bot., xvii, p. 141, 1947 on Ficus variolosa.-

Kwangtung, China.

- hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 29, 1947 on Acanthaceae. Belgian Congo.

*Phyllosticta catechu Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 8, 1943 on Areca

catechu.—Formosa. [In Japanese].
galegae Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 105, 1940 on Galega officinalis.—Greece.

- grevilleae Gadd apud Bond in Ceylon J. Sci., Sect. A, xii, p. 189, 1947 on Grevillea robusta.—Ceylon.

stygia Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 105, 1940 on Globularia stygia.—Greece.

Phyllostictina paederiae Petrak in Medd. Göteborgs bot., xvii, p. 149, 1947 on Paederia scandens.—Kwangsi, China.

vaccinii Demaree & Wilcox in Phytopathology, xxxvii, p. 496, 1947 on Vaccinium ashei.
—North Carolina, U.S.A. Type in Mycol. Coll. B.P.I. Beltsville, Md.

Physalospora heterostemmae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 8, 1947 on Heterostemma tanjorense.—India.

pterolobii T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 7, 1947 on Pterolobium indicum.—India.

Physarum stellatum (Massee) G. W. Martin in Mycologia, xxxix, p. 461, 1947. (Syn. Lepidoderma stellatum Massee). Piricularia dubiosa (Speg.) Viégas in Bragantia, vi, p. 387, 1946. (Syn. Fusicladium? dubiosum Speg.)

PLACOSTROMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 9, 1947.—Pyreno-

mycetes.

- macrospora Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 9, 1947 on Castanopsis ceratacantha.—Kweichow, China.

Plenodomus haematites Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 135, 1947 on

Clematis vitalba.—Austria.

syriacus Petrakin Sydowia, Ann. mycol., Ser. II, i, p. 42, 1947 on Phlomis brevilabris.—Syria. Pleospora centaureae J. Politis apud Maire

& Politis in Actes Inst. bot. Univ. Athènes, i, p. 47, 1940 on Centaurea solstitialis.—Greece. coronillae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 47,

1940 on Coronilla emeroides.—Greece. eryngii J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 47, 1940

on Eryngium campestre.—Greece.

*PLOCHMOPELTINITES Cookson in Proc. Linn. Soc. N.S.W., lxxii, p. 212, 1947.-Fossil Micropeltaceae.

— masoni Cookson in *Proc. Linn. Soc.* N.S.W., lxxii, p. 212, 1947 in carbonaceous sandstone.—Kerguelen Island.

Polyporus lineatus Overholts, Suppl. 3, p. 28, is a later homonym of P. lineatus Pers. (1827).

Pompholyx occidentale Zeller in Mycologia, xxxix, p. 293, 1947.—California, U.S.A. Type in Zeller Herb.

*Poria excelsa Lundell in Fungi exs. Suecici, No. 1328, 1946. (As nom. nov. based on Poria rhodella ('Fr.') Cooke, vix Polyporus rhodellus

- fendzleri (Berk. & Curt.) Lowe in Lloydia, x, p. 50, 1947. (Syn. Polyporus (Resupinati) fendzleri Berk. & Curt.).

oleracea Davidson & Lombard in Mycologia, xxxix, p. 317, 1947 on white oak wood. -U.S.A. Type in Mycol. Coll. B.P.I., Beltsville, Md.

Protohydnum subgelatinosum (Karst.) Lundell in Fungi exs. Suecici, No. 1433, 1947. (Syn. Hydnum subgelatinosum Karst.).

Puccinia achilleicola Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 46, 1947 on Achillea spp.—Persia.

agrostidicola Tai in Farlowia, iii, p. 115,

1947 on Agrostis.—Kansu, China.

- arundinellae-setosae Tai in Farlowia, iii, p. 114, 1947 on Arundinella setosa.—Yunnan,

- asystasiae E. Castellani in Nuovo G. bot. ital., liii, p. 222, 1947 on Asystasia ansellioides.—Abyssinia.

- bromicola (E. B. Mains) Guyot in Uredineana, ii, p. 52, 1947. (Syn. P. rubigo-vera (DC.) Wint. f. sp. bromicola Mains).

bromi-maximi Guyot in Uredineana, ii,

p. 50, 1947 on Bromus maximus, France and N. Afr., and on Bromus spp., widespread. - cinnamomi Tai in Farlowia, iii, p. 125, 1947 on Cinnamomum.—Szechuan, China. - clematidicola Tai in Farlowia, iii, p. 124,

1947 on Clematis connata.—Yunnan, China. delphinensis Guyot in Uredineana, ii, p. 58, 1947 on Teucrium aureum.—France.

difonzoi Lindquist in Notas Mus. La Plata, xi, Bot. 54, p. 377, 1947 on Senecio benthamii. -Argentina.

- dracaenae E. Castellani in Nuovo G. bot.

ital., liii, p. 223, 1947 on Dracaena steudneri. -Abyssinia.

eragrostidis-ferrugineae Tai in Farlowia, iii, p. 116, 1947 on Eragrostis ferruginea.-Yunnan, China.

festucae-ovinae Tai in Farlowia, iii, p. 116, 1947 on Festuca ovina.—Yunnan, China.

gaudiniana Guyot in Uredineana, ii, p. 56, 1947 on Gaudinia fragilis.—France and N. Africa.

glycyrhizae Tai in Farlowia, iii, p. 125, 1947 on Glycyr[r]hiza aspera.—Kansu, China.

- hunzikeri Lindquist in Notas Mus. La Plata, Bot., xi, 54, p. 380, 1947 on Oreo-myrrhis andicola.—Argentina.

impatientis-uliginosae Tai in Farlowia, iii, p. 126, 1947 on Impatiens uliginosa.-

Yunnan, China.

- koeleriae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 72, 1940 on Koeleria phleoides.- Greece.

kwanhsienensis Tai in Farlowia, iii, p. 118, 1947 on Bambusa.—Szechuan, China.

- lomatogonii Petrak in Medd. Göteborgs bot., xvii, p. 127, 1947 on Lomatogonium bicoronatum.—Szechuan, China.

milii-effusi Dupias in Bull. Soc. mycol. Fr., lxi, p. 61, 1945 on Milium effusum.-France. polygonicola Tai in Farlowia, iii, p. 122,

1947 on Polygonum chinense.-Hunan, China. - solani-giganteae T. S. & K. Ramakrishnan in *Proc. Indian Acad. Sci.*, Seet. B, xxv, p. 180, 1947 on *Solanum giganteum*.—India.

stenothecae Guyot in Uredineana, ii, p. 57, 1947 on Hieracium staticifolium.—French Alps and Switzerland.

- taliensis Tai in Farlowia, iii, p. 123, 1947 on Polygonum paleaceum var. pubifolium .-Yunnan, China.

- taygetea Maire apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 71, 1940 on Cirsium.-Greece.

veratricola Tai in Farlowia, iii, p. 120, 1947 on Veratrum taliense.-Yunnan, China.

vulpiana Guyot in Uredineana, ii, p. 53, 1947 on Vulpia.—France and N. Africa.

yunnanensis Tai in Farlowia, iii, p. 123, 1947 on Polygonum cymosum.—Yunnan, China.

PYCNODERMELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 111, 1947.-Myriangiales.

circinans (Syd.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 112, 1947. (Syn. Pycnoderma circinans Syd.).

Pyrenopeziza capsulicola Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 32, 1947 on Silene acaulis.—Austria.

Pyrenophora carthami J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Carthamus ruber.—Greece.

centranthi J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 48, 1940 on Centranthus ruber.—Greece.

euphorbiae Guyot in Bull. Soc. mycol. Fr., lxii, p. 85, 1946 on Euphorbia paralias.-France.

Radulum rude (Pers.) Lundell in Fungi exs. Suecici, No. 1412, 1947. (Syn. Sistotrema rude Pers.).

Ramularia chorisiae Viégas in Bragantia, vi, p. 389, 1946 on Chorisia.—Brazil.

doliariae Viégas in Bragantia, vi, p. 390, 1946 on Ficus doliaria.—Brazil.

- mirim Viégas in Bragantia, vi, p. 390, 1946 on Baccharis punctulata.—Brazil

Ravenelia indigoferae-scabridae Farlowia, iii, p. 106, 1947 on Indigofera scabrida.—Yunnan, China.

macrocapitula Tai in Farlowia, iii, p. 106, 1947 on Indigofera hancockii.—Yunnan,

China.

*Rhacomyces dedyi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 71, 1942 on Aphaenops hustachei,-France. - grassei Lepesme in Bull. Soc. mycol. Fr.,

lviii, p. 73, 1942 on Duvalius veluchianus.-

France.

maublanci Lepesme in Bull. Soc. mycol. Fr., lviii, p. 78, 1942 on Duvalius baldensis. -France.

- reymondi Lepesme in Bull. Soc. mycol. Fr., lviii, p. 66, 1942 on Trechus distigma.-

- vayssierei Lepesme in Bull. Soc. mycol. Fr., lviii, p. 65, 1942 on Trechus quadristriatus.—France.

Rbinotrichum alterosum Viégas in Bragantia, vi, p. 391, 1946 on Meliola.—Brazil.

Rhizophidium columnare Canter in Trans. Brit. mycol. Soc., xxxi, p. 135, 1947 on Spirotaenia condensata.—England.

*Rhodophyllus eximius Romagnesi in Bull. Soc. mycol. Fr., lx, p. 99, 1944.—France.

- pyrospilus Romagnesi in Bull. Soc. mycol. Fr., lx, p. 96, 1944.—France.

Rhodotorula martyniae-fragantis Ruiz in An. Inst. Biol. Univ. Méx., xviii, p. 41, 1947 in floral nectar of Martynia fragrans.— Mexico.

- minuta (Saito) Harrison var. coralloides Ruiz in An. Inst. Biol. Univ. Méx., xiv, p. 121, 1943 on man (Homo sapiens).—Mexico.

Rhyzidium variabile Canter in Trans. Brit. mycol. Soc., xxxi, p. 100, 1947 on Spirogyra.

-England.

Ripartites albido-incarnatus (Britzelmayr) Métrod in Rev. Mycologie, N.S., xi, p. 76, 1946. (Syn. Inocybe albido-incarnata Britzelmayr).

Russula adusta Fr. f. rubens Romagnesi in Bull. Soc. mycol. Fr., lxi, p. 71, 1943.-

France.

amarissima Romagnesi & Gilbert apud Romagnesi in Bull. Soc. mycol. Fr., lix, p. 71,

1943.—France.

anatina Romagnesi in Bull. Soc. mycol. Fr., lxii, p. 68, 1946. (As nom. nov. based on R. palumbina sensu Melzer & Zvara, non Quél.). delicula Romagnesi in Bull. Soc. mycol. Fr.,

lxi, p. 37, 1945.—France.

lutensis Romagnesi & Le Gal apud Romagnesi in Bull. Soc. mycol. Fr., lvi, p. 66, 1940. -France.

- melitodes Romagnesi in Bull. Soc. mycol.

Fr., lix, p. 71, 1943.—France.

pseudoluteoviridans Niolle in Bull. Soc. mycol. Fr., lx, p. 101, 1944. (As nom. nov. based on R. luteoviridans sensu Niolle, non. auct.)

- rutila Romagnesi in Bull. Soc. mycol. Fr.,

lxii, p. 59, 1946.—France.

- straminea Malençon in Bull. Soc. mycol. Fr., lviii, p. 45, 1942.—France.

Rutstroemia conformata (Karst.) Nannfeldt in Fungi exs. Suecici, No. 1174, 1942. (Syn. Peziza conformata Karst.).

Sarcosphaera ammophila (Dur. & Mont.)

Kirschst, in Notizbl. bot. Gart. Berl., xv, p. 828, 1943. [Syn. Peziza ammophila Dur. & Mont.].

ulbrichiana Kirschst. in Notizbl. bot. Gart. Berl., xv, p. 826, 1943 on soil.—Germany.

Scleroderma arenicola Zeller in Mycologia, xxxix, p. 295, 1947.—Oregon, U.S.A.

- furfurellum Zeller in *Mycologia*, xxxix, p. 296, 1947.—Mississippi, U.S.A. Type in Zeller Herb.

p. 296, 1947.—Oregon, U.S.A. Type in Zeller Herb.

Sclerotium ignotum Viégas in Bragantia, vi, p. 560, 1946 on leaves of undetermined plant.

Scopella ascotela (Syd.) T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B. xxvi, p. 67, 1947. (Syn. Blastospora ascotela Syd.).

SCOPELLOPSIS T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi,

p. 62, 1947.—Uredinales.

dalbergiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 62, 1947 on Dalbergia paniculata.—India. Type in Herb. Coimbatore and Herb. Crypt. Ind. Orient., New Delhi.

Sebacina uvida (Fr.) Bres. var. appollinis Maire apud Maire & Politis in Actes Inst. bot. Univ. Âthènes, i, p. 75, 1940 on rotten Abies.

-Greece.

Secotium aurantium Zeller in Mycologia,

xxxix, p. 292, 1947.—Cuba. Selenophoma chondrillae (Nikol.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 66, 1947. (Syn. Falcispora chondrillae Nikol.).

— linicola Vanterpool in Mycologia, xxxix, p. 346, 1947 on Linum usitatissimum.— Saskatchewan, Canada.

Septoidium araruvae Viégas in Bragantia,

vi, p. 392, 1946 on Centrolobium tomentosum. -Brazil.

- loranthacearum Viégas in Bragantia, vi, p. 393, 1946 on Loranthaceae.—Brazil.

Septoria allorgei Guyot in Bull. Soc. mycol. Fr., lxii, p. 77, 1946 on Melica ciliata.— France.

aquilina J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 124, 1940 on Pteridium aquilinum.-Greece.

buchtormensis Petrak in Medd. Göteborgs bot., xvii, p. 151, 1947 on Seseli buchtormense.

-Shansi, China.

drogochiensis Petrak in Medd. Göteborgs bot., xvii, p. 152, 1947 on Senecio erythro-pappus.—Sikang, China. - erythrinae T. S. & K. Ramakrishnan in

Proc. Indian Acad. Sci., Sect. B, xxvi, p. 10, 1947 on Erythrina.—India.

miscanthina Petrak in Medd. Göteborgs bot., xvii, p. 156, 1947 on Miscanthus sinensis.

-Kwangsi, China.

pentarrhini E. Castellani in Nuovo G. bot. ital., liii, p. 227, 1947 on Pentarrhinum insipidum.—Ēritrea.

platycodontis Petrak in Medd. Göteborgs bot., xvii, p. 157, 1947 on Platycodon grandi-

florum.-Shansi, China.

rajkoffii Bubák ex Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 125, 1940 on Cynanchum acutum.—Greece.

- sikangensis Petrak in Medd. Göteborgs bot., xvii, p. 159, 1947 on Lactuca graciliflora.-Sikang, China.

- sileris Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 128, 1947 on Siler trilobum.-Austria.

thespesiae T. S. & K. Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, xxvi, p. 11, 1947 on Thespesia populnea.—India.

- vindobonensis Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 130, 1947 on Libanotis montana.—Austria.

Seynesia polystachiae E. Castellani in Nuovo G. bot. ital., liii, p. 219, 1947 on Polystachia.— Abyssinia.

Sirococcus inulae J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 113, 1940 on Inula viscosa.—Greece.

SIRODOMUS Petrak in Sydowia, mycol., Ser. II, i, p. 157, 1947.—Sphaeropsidales.

-montanus (v. Höhn.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 157, 1947. (Syn. Peckia montana v. Höhn.)

Sistotrema muscicola (Pers.) Lundell in Fungi exs. Suecici, No. 1415, 1947. (Syn. Hydnum muscicola Pers.).

vitellina (Plowr.) Lundell in Fungi exs. Suecici, No. 1021, 1941. (Syn. Thelephora

vitellina Plowr.).

Sphaceloma curcumae Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 6, 1947 on Curcuma.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; and I.M.I., Kew; Inst. Biol., São Paulo.

oleanderi Thirumalachar in Trans. Brit. mycol. Soc., xxxi, p. 5, 1947 on Nerium oleander.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol.,

São Paulo.

- osyridis Thirumalachar in Trans. Brit.

 mycol. Soc., xxxi, p. 3, 1947 on Osyris wightiana.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.
- santali Thirumalachar in Trans. mycol. Soc., xxxi, p. 2, 1947 on Santalum album.—India. Type in Herb. Crypt. Ind. Orient., New Delhi; I.M.I., Kew; Inst. Biol., São Paulo.

Sphacelotheca smithii Petrak in Medd. Göteborgs bot., xvii, p. 115, 1947 on Polygonum.— Szechuan, China.

Sphaerulina amygdali J. Politis apud Maire & Politis in Actes Inst. bot. Univ. Athènes, i, p. 41, 1940 on Amygdalus communis.— Greece.

- Spondylocladium nigerrimum Viégas in Bragantia, vi, p. 394, 1946 on Manihot.—
- Sporodesmium syntrichiae Racovitza in Rev. Mycologie, N.S., xi, p. 88, 1946 on Syntrichia inermis.-France.
- Sporotrichum columbiense Sprague in Mycologia, xxxix, p. 350, 1947 on Agropyron spicatum.—Montana, U.S.A.
- Stagonospora sexseptata (Trail) Guyot in Bull. Soc. mycol. Fr., lxii, p. 78, 1946. (Syn. Stagonospora aquatica Sacc. var. sexseptata
- Steganosporium centaureae Rayss in Bull. Soc. mycol. Fr., lxii, p. 38, 1946 on Centaurea dumulosa.—Palestine.
- STEGOPHORELLA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 15, 1947.—Sphaeriales. - lagerheimii Petrak in Sydowia, Ann
- mycol., Ser. II, i, p. 15, 1947 on Bidens andicola.—Ecuador.

Stemphylium consortiale (Thüm.) Groves & Skolko var. minus (Ruehle) Neergaard, Addition to Danish species of Alternaria and Stemphylium, 1945. (Syn. S. ilicis Tengw. var. minus (Ruehle) Neergaard, op. cit., p. 323).

Stigmatea hageniae E. Castellani in Nuovo G. bot. ital., liii, p. 216, 1947 on Hagenia

abyssinica.—Abyssinia.

- hendrickxii Hansford in Proc. Linn. Soc. Lond., clix, p. 33, 1947 on Rubiaceae. Belgian Congo.

*Streptomyces bikiniensis Johnstone & Waksman in Proc. Soc. exp. Biol., N.Y., lxv, p. 294, 1947 from soil.—Bikini Atoll (Marshall Islands).

Strobilomyces kalimpongensis Bose in J. Dep. Sci. Calcutta Univ., N.S., ii, p. 82, 1946

on dead wood.—India.

Stylopage rhabdoides Drechsler in Mycologia, xxxix, p. 262, 1947 on Amoeba verrucosa.—Colorado, U.S.A.

Synchytrium oxalidis M. T. Cook in Mycologia, xxxix, p. 351, 1947 on Oxalis repens.— Louisiana, U.S.A.

ranunculi M. T. Cook in Mycologia, xxxix, p. 354, 1947 on Ranunculus pusillus.—Louisiana, U.S.A.

Telimenella gangraena (Fr.) Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 79, 1947. (Syn. Sphaeria gangrena Fr.).

Teratosperma meliolae Hansford in Proc. Linn. Soc. Lond., clix, p. 41, 1947 on Meliola

conopharyngiae. Uganda.

Terfezia longii Gilkey in Mycologia, xxxix, p. 448, 1947.—New Mexico, U.S.A. Type in Oregon State College.

THRYPTOSPORA Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 52, 1947.—Pyrenomycetes.

singularis Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 52, 1947 on Phlomis brevilabris .-Svria.

Tilletia sphenopodis Rayss in Bull. Soc. mycol. Fr., lxii, p. 25, 1946 on Sphenopus divaricatus.—Syria.

Torulopsis neoformans [(Sanf.) Red.] var. albida (Saito) W. Kaufmann in Zbl. Bakt., Abt. 2, evi, p. 442, 1944. (Syn. T. albida (Saito) Lodder).

orbiculata Ruiz in An. Inst. Biol. Mex., xiv, p. 381, 1943 on man (Homo sapiens) .-

Mexico.

sexta Redaelli & Ciferri 'nom. nov.' in Mycopathologia, iv, p. 29, 1947. (Based on Torula N. 6 Will, 1916).

albo-carneo-gilvida (Romell) Lundell in Fungi exs. Suecici, No. 1331, 1946. (Syn. Polyporus albo-carneo-gilvidus Rommell).

Tremella foliacea Pers. ex Fr. var. fimbriata (Pers. ex Fr.) Lundell in Fungi exs. Suecici, No. 940, 1941. (Syn. T. fimbriata Pers. ex Fr.).

Tricholoma distinguendum Lundell nom. nov. in Fungi exs. Suecici, No. 1101, 1942. (Syn. Agaricus cartilagineus Fr. of 1857, non 1821).

*Tricholomopsis flammula Métrod in Rev. Mycologie, N.S., xi, p. 77, 1946 on wood.-France.

*TRICHOPELTINITES Cookson in Proc. Linn. Soc., N.S.W., lxxii, p. 211, 1947.— Fossil Trichopeltaceae.

pulcher Cookson in *Proc. Linn. Soc.*, N.S.W., lxxii, p. 211, 1947 on leaves of *Oleinites willisii.*—Victoria, Australia.

*Trichophyton otae Dowding in Canad. J. Res., Sect. E, xxii, p. 71, 1944 on man [Homo

sapiens].-Canada.

Tritirachium brumpti (Langeron & Lichaa) Langeron in Ann. Parasit. hum. comp., xxii, p. 97, 1947. (Syn. Beauveria brumpti Langeron & Lichaa).

epigeum (Brunaud) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn.

Sporotrichum epigeum Brunaud).

- rubrum (Baquis & Cardone) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Verticillium rubrum Baquis & Cardone).

shiotae (Kuru) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Isaria

shiotae Kuru).

- viannai (de Mello) Langeron in Ann. Parasit. hum. comp., xxii, p. 98, 1947. (Syn. Trichophyton viannai de Mello).

Tubifera microsperma (Berk. & Curt.) G. W. Martin in Mycologia, xxxix, p. 461, (Syn. Licea microsperma Berk. & 1947. Curt.).

Tylostoma albiceps Long & Ahmad in Far-

lowia, iii, p. 257, 1947.—India.

- albocretaceum Long & Ahmad in Farlowia, iii, p. 243, 1947.—India.

- amnicola Long & Ahmad in Farlowia, iii, p. 243, 1947.—India.

asperum Long in Lloydia, x, p. 128, 1947. -Texas, U.S.A.

balanoides Long & Ahmad in Farlowia,

iii, p. 242, 1947.—India. cineraceum Long in Lloydia, x, p. 123,

1947 in soil.—Afghanistan. crassipes Long & Ahmad in Farlowia, iii.

p. 256, 1947.—India.

dumeticola Long in Lloydia, x, p. 117, 1947.-Brazil.

evanescens Long & Ahmad in Farlowia,

iii, p. 235, 1947.—India.

- exitum Long & Ahmad in Farlowia, iii, p. 254, 1947.—India.

hygrophilum Long & Ahmad in Farlowia, iii, p. 238, 1947.—India.

inonotum Long & Ahmad in Farlowia, iii,

p. 246, 1947.—India. membranaceum Long & Ahmad in Far-

lowia, iii, p. 251, 1947.—India.

operculatum Long & Ahmad in Farlowia, iii, p. 256, 1947.—India.

orogrande Long in Lloydia, x, p. 123, 1947 in soil.—New Mexico, U.S.A.

perplexum Long & Ahmad in Farlowia, iii, p. 257, 1947.—India.

pluriosteum Long & Ahmad in Farlowia, iii, p. 235, 1947.—India.

polymorphum Long in Lloydia, x, p. 129,

1947.—New Mexico, U.S.A. psilophilum Long & Ahmad in Farlowia,

iii, p. 242, 1947.—India.

puncticulosum Long & Ahmad in Farlowia, iii, p. 246, 1947.—India.

punctilabratum Long in Lloydia, x, p. 134, 1947.—North Africa. Type in Lloyd Myc. Coll.

rivulosum Long in Lloydia, x, p. 122, 1947. -Hawaiian Islands.

- sedimenticola Long & Ahmad in Farlowia, iii, p. 237, 1947.—India.

- subsquamosum Long & Ahmad in Farlowia, iii, p. 241, 1947.—India.
- vulgare Long & Ahmad in Farlowia, iii,

p. 248, 1947.—India.

Uncinula bischofiae Wei in Bot. Bull. Acad. Sinica, i, p. 209, 1947 on Bischofia trifoliata. -Chengtu, China.

Uredo arundinis-donacis Tai in Farlowia, iii, p. 133, 1947 on Arundo donax.—Yunnan, China.

cissi Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 98, 1943 on Cissus pteroclada.—Formosa. [In Japanese].

- cynodontis-dactylis Tai in Farlowia, iii, p. 132, 1947 on Cynodon dactylon.—Yunnan,

China.

- dioscoreicola Sawada in Trans. nat. Hist. Taiwan, xxxiii, p. 98, 1943 on Dioscorea doryophora.—Formosa. [In Japanese]. — querci Sawada in Trans. nat. Hist. Soc.

Taiwan, xxxiii, p. 99, 1943 on Quercus variabilis.—Formosa. [In Japanese].

- smilacis Sawada in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 100, 1943 on Smilax china.
—Formosa. [In Japanese].

Uromyces beckeropsidis E. Castellani in Nuovo G. bot. ital., liii, p. 224, 1947 on Beckeropsis nubica.—Eritrea.

chevalieri Guyot in Uredineana, ii, p. 60, 1947 on Drimiopsis.—Chari, Tropical Africa.

garanbiensis (Hirats. f. & Hashioka) Sawada [? n. comb.] in Trans. nat. Hist. Soc. Taiwan, xxxiii, p. 10, 1943. (Syn. Uredo garanbiensis Hirats. f. & Hashioka).

- melosporus (Therry) Syd. var. aethiopicus E. Castellani in Nuovo G. bot. ital., liii, p. 224, 1947 on Alchemilla ellenbeckii.-

Abyssinia.

sophorae-viciifoliae Tai in Farlowia, iii, p. 109, 1947 on Sophora viciifolia.—Yunnan, China.

Uropyxis antarctica (Speg.) Lindquist in Notas Mus. La Plata, Bot., xi, 54, p. 372, 1947. (Syn. Puccinia antarctica Speg.).

Ustilago anomala Kunze var. carnea (Liro) Hirschhorn in Farlowia, iii, p. 78, 1947. (Syn. Ustilago carnea Liro).

reticulispora Petrak in Medd. Göteborgs bot., xvii, p. 116, 1947 on Polygonum bungeanum.—Shansi, China.

Xenomeris alpina Petrak in Sydowia, Ann. mycol., Ser. II, i, p. 101, 1947 on Vaccinium vitis-idaea.—Austria.

Xylaria sicula Pass. & Beltr. f. major Ciccarone in Nuovo G. bot. ital., N.S., liii, p. 357, 1947 on fallen leaves of Olea.--Kenya.

Zoöpage pachyblasta Drechsler in Mycologia, xxxix, p. 391, 1947 on Amoebae.—Colorado, U.S.A.

- toechospora Drechsler in Mycologia, xxxix, p. 402, 1947 on Euglypha laevis.—Colorado, U.S.A.

- virgispora Drechsler in Mycologia, xxxix, p. 384, 1947 on Amoebae.—Wisconsin, U.S.A.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Bryophyta, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata, and Vertebrata.

ACANTHACEAE

Phyllachora hendrickxii

Asystasia anselloides

Puccinia asystasiae

Hypoestes paniculata

Meliola hypoëstes

ACERACEAE

Acer platanoides

Asteromella velata

ALGAE

Cocconeis pediculus

Chytridium cocconeidis

Mougeotia

Phlyctidium apophysatum

Nitzschia sigmoidea

Chytridium versatile var. acaule

Spirogyra

Rhyzidium variabile

Spirotaenia condensata

Rhizophidium columnare

ANACARDIACEAE

Anacardium occidentale

Botrytis anacardii

Mangifera indica

Diplodia recifensis

APOCYNACEAE

Conopharyngia

Dictyoasterina conopharyngiae

Nerium oleander

Sphaceloma oleanderi

Vinca major

Diplodina vincae

ARALIACEAE

Acanthopanax trifoliatum

Meliola acanthopanacis

Aralia decaisneana

Aecidium araliae

Meliola araliicola

ASCLEPIADACEAE

Cynanchum acutum Septoria rajkoffii

Heterostemma tanjorense

Physalospora heterostemmae

Pentarrhinum insipidum

Septoria pentarrhini

BALSAMINACEAE

Impatiens

Meliola impatientis var. densa

Impatiens uliginosa

Puccinia impatientis-uliginosae

BERBERIDACEAE

Berberis morrisonensis

Aecidium berberidis-morrisonensis

BOMBACACEAE

Chorisia

Ramularia chorisiae

BRYOPHYTA

Aneura

Cladochytrium aneurae

Porella

Leptosphaeria porellae

Syntrichia inermis

Sporodesmium syntrichiae

CAMPANULACEAE

Campanula sibthorpiana

Pĥoma campanulae

Platycodon grandiflorum

Septoria platycodontis

CAPRIFOLIACEAE

Lonicera

Helminthosporium? lonicerae

Lonicera japonica

Irenina lonicerae

Sambucus nigra

Microdiplodia sambuci

Ophiobolus sambuci

CARYOPHYLLACEAE

Silene acaulis

Pyrenopeziza capsulicola

CELASTRACEAE

Gymnosporia lepidota

Hysterostomella gymnosporiae

CHENOPODIACEAE

Salsola gemmascens

Amphididymella verrucosa

COMPOSITAE

Achillea

Puccinia achilleicola

Ageratum conyzoides

Cladosporium versicolor

Baccharis punetulata

Ramularia mirim

Bidens andicola Stegophorella lagerheimii

Cacalia sonchifolia

Helminthosporium cacaliae

Carthamus ruber

Pyrenophora carthami

Centaurea dumulosa

Steganosporium centaureae

Centaurea solstitialis

Pleospora centaurea

Cirsium

Puccinia taygetea

Hieracium staticifolium

Puccinia stenothecae

Inula hirta

Asteromella inulae

Inula viscosa

Phoma inulae-viscosae

Sirococcus inulae

Lactuca graciliflora

Septoria sikangensis Onopordon illyricum

Phoma onopordi

Scolymus hispanicus

Phoma scolymi

Senecio benthamii

Puccinia difonzoi Senecio erythropappus

Septoria drogochiensis

Senecio mariettae

Phaeodothis hendrickxii

CRASSULACEAE

Sedum aizoon

Aecidium shansiense

CRUCIFERAE

Brassica oleracea

Ascochyta oleracea var. tumida

Crambe tatarica

Aecidium crambes

Fibigia clypeata Erysiphe communis f. fibigiae

CUCURBITACEAE

Citrullus vulgaris

Marssonina melonis

Cucumis melo var. reticulatus

Marssonina melonis

CUCURBITACEAE (continued) Cucurbita pepo

Phoma peponis

CYPERACEAE

Carex firma

Nannfeldtia atra

DIAPENSIACEAE

Diapensia lapponica Apiothyrium arcticum

DIOSCOREACEAE

Dioscorea alata

Himantia corticalis

Dioscorea doryophora Uredo dioscoreicola

EBENACEAE

Euclea latidens

Irenina eucleae

ELAEOCARPACEAE

Elaeocarpus ? amoenus

Phaeophleospora elaeocarpi

ERICACEAE

Agauria salicifolia

Meliola agauriae

Arbutus andrachne

Cylindrosporium arbuti

Rhododendron croceum Lophodermium vagulum

Vaccinium ashei

Phyllostictina vaccinii

Vaccinium australe

Dothichiza caroliniana

Gloeocercospora inconspicua

Vaccinium vitis-idaea

Xenomeris alpina

EUPHORBIACEAE

Bischofia trifoliata Uncinula bischofiae

Euphorbia cyparissias

Phoma cyparissiae

Euphorbia erinacea

Ĝuignardia euphorbiae

Euphorbia paralias

Diplodina arenicola

Pyrenophora euphorbiae

Macaranga Asterina macarangae

Manihot

Spondylocladium nigerrimum

Securinega virosa

Aecidium securinegae

FAGACEAE

Castanea sativa

Exosporina fawcetti

Castanopsis ceratacantha

 $Placostromella\ macrospora$

Castanopsis formosana

Meliola castanopsina

Castanopsis stipitata Meliola fusispora

Meliola shiiae

Castanopsis subacuminata

Meliola subacuminata Castanopsis taiwaniana

Meliola taiwaniana

Cyclobalanopsis glauca

Meliola cyclobalanopsina

Meliola taityuensis

Cyclobalanopsis ternaticupula

Irenina cyclobalanopsicola

Cyclobalanopsis ternaticupula f. arisanensis

Irene arisanensis Quercus variabilis

Uredo querci

FAGACEAE (continued)

Synaedrys amygdalifolia Irene lithocarpicola

Synaedrys amygdalifolia f. castanopsisifolia

Irene castanopsisifoliae Meliola subpellucida

Synaedrys brevicaudata Meliola lithocarpina

Meliola ramulicola Synaedrys kawakamii

Meliola kawakamii

Synaedrys kodaihoensis Meliola kodaihoensis

Synaedrys konishii Irene konishii

Synaedrys lepidocarpa

Meliola kiraiensis

Synaedrys shinsuiensis Irene sinsuiensis

FLACOURTIACEAE

Casearia engleri

Asterina caseariicola Meliola caseariicola

Scolopia rhamniphylla

Meliola flacourtiacearum

Aphanomyces laevis

Chytriomyces parasiticus

Meliola

Rhinotrichum alterosum

Meliola conopharyngiae

Teratosperma meliolae Septoideum didymopanacis

Cladobotryum australe

Fungi Fossiles

Oleinites willisii

Asterothyrites delicatissimus

Asterothyrites minutus

Euthyrites oleinitus

Trichopeltinites pulcher

GENTIANACEAE

Lomatogonium bicoronatum

Puccinia lomatogonii GLOBULARIACEAE

Globularia stygia Phyllosticta stygia

GRAMINEAE

Agropyron spicatum

Sporotrichum columbiense

Agrostis

Puccinia agrostidicola

Andropogon

Hendersonia kwangsiensis

Arundinaria alpina

Phragmodiscus arundinariae

Arundinella setosa

Puccinia arundinellae-setosae

Arundo donax Uredo arundinis-donacis

Bambusa

Puccinia kwanhsienensis

Beckeropsis nubica

Uromyces beckeropsidis

Brachypodium pinnatum

Coleroa graminis

Bromus maximus

Puccinia bromi-maximi

Cymbopogon polyneuros Colletotrichum ciliatum

Cynodon dactylon

Uredo cynodontis-dactylis

Eragrostis ciliaris

Passalora eragrostidis

GRAMINEAE (continued)

Eragrostis ferruginea

Phyllachora eragrostidis Petrak Puccinia eragrostidis-ferrugineae

Festuca ovina

Puccinia festucae-ovinae Gaudinia fragilis

Puccinia gaudiniana

Koeleria albescens

Leptosphaeria clavata

Koeleria gracilis

Leptosphaeria clavata Phoma subtruncata

Koeleria phleoides $Puccin \hat{i} a \ koeleriae$

Melica ciliata

Septoria allorgei Milium effusum

Puccinia milii-effusi

Miscanthus sinensis Septoria miscanthina

Olyra micrantha

 $Helminthosporium\ olyrae$

Paspalum dilatatum Marasmius paspali

Pennisetum japonicum

Neovossia macrospora

Phleum boehmeri

Leptosphaeria seguana

Sesleria coerulea

 $Microdiplodia\ granulosa$

Sesleria varia

Diplodina pannonica Sphenopus divaricatus

Tilletia sphenopodis

Vulpia

Puccinia vulpiana

GUTTIFERAE

Hypericum lanceolatum $ar{D}idymella~muhavurensis$

HIPPOCRATEACEAE Salacia senegalensis

Linotexis deightonii

INSECTA

Anopheles crucians

Coelomomyces bisymmetricus

Coelomomyces keilini

Coelomomyces lativittatus Coelomomyces sculptosporus

Anopheles punctipennis

Coelomomyces cribrosus

Coelomomyces quadrangulatus var. irregu-

Coelomomyces sculptosporus

Anopheles quadrimaculatus

Coelomomyces punctatus

Aphaenops hustachei

Rhacomyces dedyi

Dromius linearis

Laboulbenia colasi

Duvalius baldensis

Rhacomyces maublanci Duvalius veluchianus

Rhacomyces grassei

Stegomyia scutellaris

Coelomomyces quadrangulatus var. lamborni

Trechus distigma

 $Rhacomyces\ reymondi$

Trechus quadristriatus

Rhacomyces vayssierei

Xyleborus fornicatus

Monacrosporium ambrosium

INVERTEBRATA (other than Insecta)

Amoeba

Acaulopage ischnospora

Zoöpage pachyblasta

Zoöpage virgispora

Amoeba verrucosa

Stylopage rhabdoides

Euglypha laevis

Zoöpage toechospora

Leptomyxa

Acaulopage crobylospora

JUGLANDACEAE

Juglans regia

Exosporina fawcetti

JUNCACEAE

Juneus maritima

Hendersonia arundinis var. maritima

LABIATAE

Calamintha acinos

Diplodia calaminthae

Phlomis brevilabris

Didymella syriaca

Neobroomella ciliata

Pestalozzia insueta

Plenodomus syriacus

Thryptospora singularis

Phlomis fruticosa

Oidium phlomidis

Stachys cretica

Macrophoma stachydis

Teucrium aureum

Puccinia delphinensis

LAURACEAE

Cinnamomum

Puccinia cinnamomi

LEGUMINOSAE

Phaeochorella zonata

Acacia orfota Linochora acaciae

Alhagi camelorum

Erysiphe alhagii

Astragalus onobrychis

Ascochytella astragalina

Astragalus sinicus

Epicoccum sinense

Bauhinia championi Meliola bauhiniicola

Campylotropis polyantha

Aecidium campylotropidis

Centrolobium tomentosum

Septoidium araruvae Coronilla emeri

Coniothyrium asperulum

Coronilla emeroides

Pleospora coronillae

Dalbergia paniculata

Scopellopsis dalbergiae

Erythrina

Septoria erythrinae

Euchresta horsfieldii var. formosana

Meliola euchrestae

Galega officinalis

Phyllosticta galegae

Genista tinctoria

Leptosphaeria genistae var. microspora

Glycyrrhiza aspera

Puccinia glycyrhizae

Indigofera

Cercosporella indigoferae

Indigofera hancockii

Ravenelia macrocapitula

Indigofera scabrida

Ravenelia indigoferae-scabridae

LEGUMINOSAE (continued)

Leptoderris

Deightonia rhombispora

Machaerium

Helminthosporium machaerii

Mucuna capitata

Cercospora mucunae-capitatae

Pithecolobium lucidum Irenina pithecolobii

Pseudarthria hookeri

Acrospeira pseudarthriae

Pterolobium indicum

Physalospora pterolobii

Sophora viciifolia

Accidium anningense

Uromyces sophorae-viciifoliae

Spartium junceum

Phoma spartii

Vicia sativa

Mycosphaerella thironi

? Vigna

Meliola hendrickxiana

LILIACEAE

Dracaena steudneri Puccinia dracaenae

Drimiopsis

Uromyces chevalieri

Smilax aspera

Cymbothyrium sudans

Smilax china

Aecidium smilacis-chinae Uredo smilacis

Veratrum taliense

Puccinia veratricola

LINACEAE

Linum usitatissimum Selenophoma linicola

LORANTHACEAE

Septoidium loranthacearum

MAGNOLIACEAE

Liriodendron tulipifera Mycena setulosa

Magnolia glauca

Hemisphaeropsis magnoliae

MALPIGHIACEAE Hiptage bengalensis

Trenopsis hiptages

MALVACEAE

Thespesia populnea Septoria thespesiae

MARTYNIACEAE

Martynia fragrans

Rhodotorula martyniae-fragrantis

MORACEAE

Artocarpus integrifolia

Botrytis artocarpi

Entopeltis ruwenzoriensis

Ficus doliaria

Ramularia doliariae

Ficus foveolata

Chaetothyrium dictyosporum

Ficus martini?

Phakopsora hengshanensis

Ficus variolosa

Phyllachora fici-variolosae

MUSACEAE

Musa cavendishii

Cercospora musaecola

MYRICACEAE

Myrica

Meliola myricicola

Myrica rubra

Mycosphaerella myricae

MYRSINACEAE

Aegiceras corniculatum Phaeothyrium pulchellum

Rapanea

 \dot{P} haeodothis rapaneae

Phanerococcus rapaneae

MYRTACEAE

Decaspermum fruticosum

Paranthostomella decaspermi

Luma

Cylindrocladium candelabrum

Syzygium guineense f. angustifolium

Lembosia peyronelii

OLEACEAE

Olea

Xylaria sicula

Olea chrysophylla

Parasterina oleae-chrysophyllae

Osmanthus asiaticus

Cercospora osmanthi-asiatici

ONAGRACEAE

Godetia hybrida

Colletotrichum godetiae

ORCHIDACEAE

Polystachia

Seynesia polystachiae

OXALIDACEAE

Oxalis repens

Synchytrium oxalidis

PALMAE

Areca catechu

Phyllosticta catechu

PASSIFLORACEAE

Passiflora

Cladosporium maracuja

PINACEAE

Abies alba

Dimeriella terrieri

Chamaecyparis thyoides Gymnosporangium hyalinum

Cupressus funebris

Gymnosporangium tsingchenense

Keteleeria elveyniana

Cronartium keteleeriae

Pinus nigra

Phoma pini-nigrae

Pinus sylvestris

Collostroma gelatinosum

Eriosporopsis albida

Phacidium infestans var. hikmetae

Thuja plicata

Mycena albicolor

PITTOSPORACEAE

Pittosporum sinense Coniothyrium pittospori

PLATANACEAE

Platanus orientalis

Eutypa lata f. platani

POLYGALACEAE

Securidaca

Irenina securidacae

POLYGONACEAE

Polygonum

Sphacelotheca smithii

Polygonum bungeanum

Ustilago reticulispora

Polygonum chinense Puccinia polygonicola

Polygonum cymosum

Puccinia yunnanensis Polygonum paleaceum var. pubifolium

Puccinia taliensis

PRIMULACEAE

Lysimachia omeiensis Cercoseptoria smithii

PROTEACEAE

Grevillea robusta

Cladochaete coronata Phyllosticta grevilleae

PTERIDOPHYTA

Pteridium aquilinum Septoria aquilina

RANUNCULACEAE

Clematis connata

Puccinia clematidicola

Clematis recta

Mycosphaerella clematidina

Clematis vitalba

Leptosphaeria grignonnensis Plenodomus haematites

Ranunculus pusillus

Synchytrium ranunculi

ROSACEAE

Alchemilla ellenbeckii

Uromyces melosporus var. aethiopicus

Amygdalus communis

Phoma amygdali-communis

Sphaerulina amygdali

Cotoneaster adpressa

Gymnosporangium sikangense

Crataegus oxyacantha Macrophoma crataegi

Eriobotrya japonica

Pestalozzia eriobotryae-japonicae

Hagenia abyssinica

Phleospora hageniae Stigmatea hageniae

Parinarium capense

Phomachorella parinarii

Photinia serrulata

Gymnosporangium wenshanense

Poterium sanguisorba

Phoma sanguisorbae

Prunus domestica

Phoma pruni-domesticae

Rosa cymosa

Gerwasia rosae

Rosa glomerata

Phragmidium handelii

Rubus pungens

Phragmidium sikangense

RUBIACEAE

Stigmatea hendrickxii

Adina cordifolia

Cercospora adinae

Mephitidia chinensis

Meliola mephitidiae Paederia scandens

Phyllostictina paederiae

Randia

Asterinella randiae

Randia dumetorum

Phaeodimeriella negrii

RUTACEAE

Citrus grandis

Exosporina fawcetti

Citrus limonia

Exosporina fawcetti

Citrus sinensis

Exosporina fawcetti

Dictamnus albus

Mycosphaerella dictamni

Fagara laurentii Meliola yangambiensis

Teclea

Limacinia hendrickxii

SALICACEAE

Salix cavaleriei

Melampsora salicis-cavaleriei

SANTALACEAE

Osyris wightiana

Sphaceloma osyridis

Santalum album

Sphaceloma santali

SAXIFRAGACEAE

Hydrangea

Helminthosporium coronatum

Hydrangea chinensis

Irenina hydrangeae

Pileostegia viburnoideis

Meliola pileostegiae

SCROPHULARIACEAE

Pedicularis gracilis

Coleosporium pedicularidis

Rhinanthus crista-galli

Diplodina rhinanthi Verbascum thapsus

Phoma verbasci-thapsi

SIMARUBACEAE

Irvingia wombolu Meliola irvingiae

SOLANACEAE

Solanum giganteum

Puccinia solani-giganteae

Solanum lycocarpum

Cladosporium solanicola

STYRACACEAE Styrax suberifolius

Meliola styracis

THEACEAE

Eurya japonica

Phyllachora cymbispora

THYMELAEACEAE

Peddiaea fischeri

Meliola peddiicola TROPAEOLACEAE

Tropaeolum major

Heterosporium tropaeoli

UMBELLIFERAE

Bupleurum sibthorpianum

Heteropatella polychaeta

Eryngium campestre Pleospora eryngii

Eryngium multifidum

Macrophoma eryngii

Libanotis montana

Septoria vindobonensis Oreomyrrhis andicola

Puccinia hunzikeri

Seseli buchtormense

Septoria buchtormensis

Siler trilobum

Ascochyta vindebonensis

Dothiorella sileris

Mycosphaerella taeniographoides

Septoria sileris

Smyrnium rotundifolium

Ophiobolus smyrnii

Phoma smyrnii

VALERIANACEAE

Centranthus ruber

Pyrenophora centranthi VERBENACEAE

Callicarpa formosana Meliola callicarpicola VERTEBRATA
Homo sapiens
Acremonium ossicola
Actinomyces pelletieri var. hodeidae
Glenospora viridobrunnea
Glenosporopsis amazonica
Mycotorula messanensis

Rhodotorula minuta var. coralloides

Torulopsis orbiculata

Trichophyton otae

VITACEAE
Cissus pteroclada
Uredo cissi
Vitis vinifera
Exosporium sultanae

ZINGIBERACEAE Curcuma Sphaceloma curcumae

The Editor gratefully acknowledges the assistance of Drs. G. C. Ainsworth and D. P. Rogers in supplying the details of certain citations.

PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY